




http://www.jacmusic.com

Official Distributer for:

ELECTRO HARMONIX tubes
EMISSION LABS Tubes
LUNDAHL Transformers
SOVTEK Tubes
SVETLANA Tubes
VALVE ART Tubes
YAMOMOTO Soundcraft

Horber Steige 25, D-72172 Sulz Muehlheim, Germany

Outside Europe, prices are the export price



EMISSION LABS

5. Feb. 2012

Europe, incl. 19% MwSt. (VAT) Export Price

	Order Nr.	Packed in dual tube, very high quality box.	Euro	Euro
1	EML AD1-Mesh (Pair) 4V, 1,5 Amps	110-025-48 AD1, the Queen of Triodes! With true wire mesh plate. Filament is 1.6 Amps, 4V.	617,35	518,78
2	EML 20A (Pair)	110-001-59 20x Gain, medium power. Matched pair, in gift box.	391,80	329,24
3	EML 20A-Mesh (Pair)	110-002-66 20x Gain, medium power. Matched pair, in gift box.	452,07	379,89
4	EML 20B (Pair)	110-003-19 20x Gain, high power. Matched pair, in gift box.	391,80	329,24
5	EML 274A -Mesh (One tube)	110-027-45 True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	214,56	180,30
6	EML 274B -Mesh (One tube)	110-029-85 True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	214,56	180,30
7	EML 2A3-Mesh (Pair)	110-042-91 Original specs of RCA 2A3. Matched pair, in gift box.	447,05	375,67
8	EML 2A3-S (Pair)	110-009-49 Can replace 15 Watt and 28 Watt 2A3 tubes. Matched pair, in gift box.	416,90	350,34
9	Quad matching for 2A3S or 2A3Mesh	127-006-76 For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	17,85	15,00
10	EML 300B (Pair)	110-010-76 Matched pair, in gift box.	416,90	350,34
11	EML 300B-XLS (Pair)	110-012-25 Matched Pair in gift box. The ultimate 300B!	522,39	438,98
12	EML 300B-Mesh (Pair)	110-011-97 Matched pair, in gift box. Max plate dissipation 28 Watt. True mesh from woven wire.	547,51	460,09
13	Quad matching for 300B, XLS, Mesh	127-007-95 For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	17,85	15,00
14	EML 320B-XLS (Pair)	110-015-19 High dynamics tube. Replaces 320B-SL, 32B types from >2004. Matched pair, in gift box.	552,14	463,98
15	EML 30A (Pair)	110-014-91 30x Gain, medium power. Matched pair, in gift box.	416,90	350,34
16	EML 45 (Pair)	110-017-90 Direct RCA replacement. Matched pair, in gift box.	366,67	308,13
17	EML 45-Globe (Pair)	110-035-67 Limited Edition, Globe Version, Matched pair, in gift box.	497,63	418,18
18	EML 45 Mesh (Pair)	110-018-53 Mesh-Window. Direct 45 replacement. Matched pair, in gift box.	447,05	375,67
19	EML 50 (Pair)	110-038-43 Available Feb 2012. Direct replacement for RCA Type 50.	509,33	428,01
19	Quad matching for 45, 45M, or 45GL	127-008-35 For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	17,85	15,00
20	EML 520B-V2 (Pair) 6.5V	110-019-11 V2 = "Long Plate" 52B, 6.5 Volt filament. Matched pair, in gift box.	739,87	621,74
21	EML 520B-V3 (Pair) 5V	110-020-84 V3 = "Long Plate" 52B, 5.0 Volt filament. Matched pair, in gift box.	710,12	596,74
22	EML 1605 (Pair) 5V	110-030-91 Our ultimate power triode. Matched pair, in gift box.	837,46	703,75
23	Quad matching for 520B or 1605	127-009-36 For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	17,85	15,00
24	EML 5U4G-Mesh (One tube)	110-022-29 True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	214,56	180,30
25	EML 5Z3-Mesh (One tube)	110-024-75 True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	214,56	180,30
25	EML 81 (One tube)	110-039-90 Solid plate mono Diode	214,56	180,30

Europe, incl. 19% MwSt. (VAT) Export Price

	Order Nr.	Check menu at NOS Tubes for more NOS. These are all MINT Condition	Euro	Euro
28	1st Quality NOS			
29	(6SL7) CV185 Mullard UK, OB	114-132-84 NOS Mullard CV1985. Mint Quality! Military box, with datecode and more informations. Date	117,81	99,00
30	12BH7A GE, NOS, OB	114-029-81 GE. Original orange boxes. ONLY ONE LEFT.	27,37	23,00
31	4654 / EL50 TESLA, NOS, OB	114-125-39 In EL34 family, but not identical. Uses top cap. Nice Coke Bottle glass.	22,61	19,00
30	47 Ken-Rad, NOS, OB	114-114-95 Ken-Rad, beautiful tube, coke bottle glass, clean print, original box. Versatile audio DHT	65,45	55,00
31	5687WA Philips, NOS, OB	114-017-36 NOS Philips USA, color printed. SQ tube with 10000 hours lifetime, and special filament for long stand-by capability. From the family of 6SN7 / ECC81, but this is a lower impedance tube, so lower voltage and higher current. Another pin out.	23,80	20,00
32	5751 General Electric, NOS, OB	114-060-73 NOS GE USA, color printed. This is a low noise replacement for ECC83, but it has slightly lower gain. So when your amp has already enough gain, but you have noise problems with the ECC83, this is the tube to take.	34,51	29,00
33	5751 Philips, NOS, OB	114-059-34 NOS Philips USA, color printed. This is a low noise replacement for ECC83, but it has slightly lower gain. So when your amp has already enough gain, but you have noise problems with the ECC83, this is the tube to take.	36,89	31,00
34	5R4WGB CETRON, NOS OB	114-128-27 5R4WGB CETRON USA. NOS OB with very nice High Quality tube base, thick glass, and double getter.	26,18	22,00
35	5U4G / GZ31.China NOS, Metal base, NOS, OB	114-062-19 NOS. 5U4G, China from 1970's. Big Coke bottle glass, black plate, metal socket, original box. Mint items, very rare!	22,61	19,00
36	5U4G / GZ31.Svetlana, NOS, OB	114-002-19 1975..1985 NOS, 8 filaments. Used by Audio Note. Orig. Box and orig. datasheet. This tube is harder to get now.	29,75	25,00
35	5Z3 Haltron, London UK, NOS, OB.	114-094-77 5Z3 is a 5U4G with 4Pin socket, same as 300B	34,51	29,00
36	5Z3 Ken-Rad, USA, 1940's tube. NOS, OB	114-111-74 5Z3 is a 5U4G with 4Pin socket, same as 300B	38,08	32,00
37	5Z3 RCA, USA, NOS, OB	114-094-77 5Z3 is a 5U4G with 4Pin socket, same as 300B	45,22	38,00
38	5Z3 "Standard Brand". Looks like Haltron, NOS, OB.	114-094-77 5Z3 is a 5U4G with 4Pin socket, same as 300B	28,56	24,00
39	5Z3 Sylvania USA, NOS, OB	114-110-77 5Z3 is a 5U4G with 4Pin socket, same as 300B	28,56	24,00
40	6080WC (=6AS7) GE NOS, OB	114-129-34 NOS General Electric USA. Cilinder glass version of 6AS7.	16,66	14,00

41	6080WC (=6AS7) Philips, NOS, OB	114-019-93	NOS Philips USA. Cilinder glass version of 6AS7, Military box, with datecode. Specially made for	12,50	10,50
42	6922 / E88CC. Philips, NOS, OB	114-096-33	NOS Philips 6922. Color printed. 6922 is a Special Quality ECC88, featuring 10.000 hrs, and low hum. Frame grid tube, military box, with datecode.	16,66	14,00
43	6922 / E88CC. RCA, NOS, OB.	114-095-90	NOS RCA 6922. Color printed. 6922 is a Special Quality ECC88, featuring 10.000 hrs, and low hum. Frame grid tube, original RCA box.	65,45	55,00
43	6C19N, NOS, OB.	114-079-98	NOS. Svetlana Russia. These are latest version with Zirkonium Getter, and Zirkonium plated anodes. Extremely nice triode, max 11Watt. Only 400 Ohms Rp. OTL or head phone tube, also SE transformer coupled(Like 4 in parallel with LL1627-185mA)	6,55	5,50
44	6C33-C Ulyanov. from Bulk pack.	114-075-58	NOS. Original Ulyanov Russia. The original from Russian Jet Airplaines. NOS from Bulk pack. In paper wrap.	33,32	28,00
45	6C33-C Ulyanov. NOS. OB.	114-003-73	NOS. Original Ulyanov Russia. The original from Russian Jet Airplaines. Original box. Most boxes sealed.	39,27	33,00
46	6C4C (=6S4S, 6B4G) = 6A3-Octal, WB. Matched Pair.	114-085-35	NOS 6C4C. Svetlana, Early 1970's Production. This is a 6A3, with Octal base. Mint items. Price is for MATCHED Pair. Testdata included.	87,40	73,45
47	6L6. Voskhod, NOS. OB.	114-052-32	Russian NOS. Individual boxed, with original datasheet. Long cilinder glass, older construction. (hand-blown glass). Extended specifications, better than standard 6L6. Very beautiful tubes, prime quality. Made 1983	10,71	9,00
48	6N1P-EB. Voskhod, NOS, from Bulk pack.	114-031-58	"EB" is a factory selected version of 6N1P. Can replace ECC88/ 6922, but 6N1P has more filament current. More Info: click ECC88 at our NOS page. Excellent tube for a nice price.	8,53	7,17
49	6N1P-VI. Voskhod, NOS. OB.	114-032-94	The "VI" version is the best tube of it's kind. It is balanced and matched per datasheet specification. With special mica. Original box. More Info: click ECC88 at our NOS page.	13,09	11,00
50	6N2P, TESLA NOS, OB	114-007-97	Russian NOS, from 1957, original box, with very detailed datasheet inside. Exclusive version, with many min-max specifications. Selected by default. Electrical like ECC803S, but pin connections and shield like ECC88. Not pin compatible with ECC83 or ECC803S.	13,09	11,00
51	6N6P (6H6pi), NOS, WB	114-083-79	Double Triode for Audio. 2x 4.8Watt. Nice driver tube, head phone. Pin connections same as ECC88, but lower gain and more power. Secret tip! Very nice glow (side holes in plate)	10,71	9,00
52	6SL7 / 6188 Philips, NOS, OB.	114-005-59	Philips 6188, which is a Long Plate 6SL7. Plates have 20mm. Mint Quality! Military box, with datecode and more informations. Nice green print.	28,56	24,00
53	6SL7 RCA, NOS, OB.	114-139-139	NOS RCA, Original red box. Box and tube like new.	77,35	65,00
54	6SL7 Reflektor, NOS, WB.	114-006-67	NOS Reflektor, Russia. From the 1960's.	7,50	6,30
55	6SL7-WGT KR, NOS, Old White box.	114-044-85	NOS KR USA. Nice looking, top quality tubes. Made by Sylvania USA.	29,75	25,00
56	6SL7-WGT Philips, NOS, OB.	114-004-53	NOS Philips USA. Top getter, angled plate. Mint Quality! Military box, with datecode and more	32,13	27,00
57	6SL7-WGT Sylvania, NOS, OB.	114-087-09	NOS Sylvania 6SL7. Military box, with 1966 datecode and more informations. Lovely looking tube, brown base and colored print.	40,46	34,00
58	6SN7-GT Reflektor, NOS, from Bulk pack	114-045-85	NOS Reflektor, Russia. 6H8C = 6SN7-GT from 1969. Hand made tubes.	5,95	5,00
59	6SN7-GT Toshiba, NOS, OB	114-080-07	NOS. Branded Toshiba Japan, but Toshiba never made 6SN7. These appear like Telefunken 6SN7. Also Gm is around 3200 as can be observed with TFK NOS 6SN7. AMAZING TUBES. MUST SEE. Check for High resolution pictures at our NOS pages.	101,15	85,00
60	6V6 (Pair) Reflektor, NOS, OB.	114-068-89	NOS Reflektor, Russia. 6Pi6S = 6V6. Beautifull black version, filament nicely visible. Datecode 1987. Hand made tubes, originally packed in pairs, colored boxes, with some information on it. Price is for a matched pair. 6V6 is close to EL84, but octal base.	13,09	11,00
61	6X4-WA. Tung Sol. Dual rectifier. NOS, OB.	114-123-96	6X4 (=EZ90) NOS Tung-Sol, USA. Black plates, Military Tung-Sol boxes.	13,09	11,00
62	6X5-GT. Brimar. Dual rectifier. NOS, OB.	114-124-98	NOS Brimar, United Kingdom. Black plates. Very nice colored boxes.	14,28	12,00
63	6X5-GT. Raytheon. Dual rectifier. NOS, OB.	114-137-09	NOS Raytheon. Original, very old boxes. Mint quality tubes. Very interesting flat plate tubes, beautiful made, no boxed plate	14,28	12,00
64	6X5-GT. Sylvania Gold. Dual rectifier. NOS, OB.	114-138-76	NOS Sylvania Gold, made for VALVO Hamburg. Original Sylvania Gold tube, in very nice military VALVO Box from 1960. Best 6X5 ever made.	41,65	35,00
65	7N7, SYLVANIA, NOS, OB	114-142-90	NOS, 6SN7-GTB upgrade version, with metal shielded base and LOCTAL socke. (not Octal). So not pin compatible. See NOS pages for details and pictures, look under 6SN7.	17,85	15,00
66	76 Raytheon, NOS, OB	114-114-95	Raytheon, beautiful tube, coke bottle glass, clean print, original box. Original Audio Pre-amplifier tube. Octal base.	65,45	55,00
67	80 Rectifier, NOS	114-127-71	NOS, USA brands, OB or white box.	53,55	45,00
68	83 Rectifier, NOS	114-098-90	NOS, USA brands, OB or white box.	65,45	55,00
69	866A Rectifier, NOS	114-134-09	NOS, Valvo Hamburg, OB. 0.5A Mercury Diode. Eye catcher with nicest light effect ever. You need two to get a full wave rectifier. Check GM70 project under "HiFi Equipment" and see how to serialize filaments to get convenient 5V heater.	53,55	45,00
70	AZ1, Tesla or Polam, NOS; original Wrap.	114-071-27	NOS. Original Box, or sealed plastic bag with some data on it.	21,42	18,00
71	AZ4, Tesla or Polam, NOS, original wrap.	114-072-91	NOS. Original Box, or sealed plastic bag with some data on it. Electrical like RGN2004.	29,75	25,00
72	C3g ITT NOS, OB.	114-107-93	NOS ITT Germany. Ultimative Low Noise Penthode. Original box.	77,35	65,00
73	C3g Siemens, NOS, OB.	114-009-62	NOS Siemens Germany. Ultimative Low Noise Penthode. Original box. The version with Zirkonium aetter!	26,18	22,00
74	C3g Telefunken, NOS, OB.	114-074-69	NOS TFK <> Germany. Ultimative Low Noise Penthode. Original box.	113,05	95,00
75	C3g VALVO NOS, OB.	114-106-29	NOS VALVO Germany. Ultimative Low Noise Penthode. Original box.	83,30	70,00
76	C3g/s Siemens, NOS, OB.	114-104-71	NOS Siemens Germany. Ultimative Low Noise Penthode. Original box. The version with Zirkonium getter! S= Factory Selected for more transconductance. "S" is only printed on the box.	32,13	27,00
77	C3g/s Telefunken, NOS, OB.	114-105-07	NOS TFK <> Germany. Ultimative Low Noise Penthode. Original box. S=Factory Selected for more transconductance. "S" is only printed on the box. The best tube ever made like this.	148,75	125,00

78	C3m Siemens, NOS, OB.	114-010-90	NOS Siemens Germany. The Ultimate Low Noise Penthode. Original box. As used by Yamamoto Soundcraft.	28,56	24,00
79	C3m Telefunken, NOS, OB.	114-081-39	NOS TFK Germany. Ultimate Low Noise Penthode. Original box. Funke W19 testdata on sticker.	77,35	65,00
80	D3a, Siemens, NOS, OB	114-113-85	Top Class Audio Pentode, also excellent in Triode mode. Gold pin.	17,85	15,00
81	E180F, NOS TESLA.	114-141-09	Packed in original bag. Beautiful Gold pin tube, also perfect in triode mode.	5,95	5,00
81	E182CC Mullard, NOS, OB.	114-011-18	NOS Mullard. Long Plates. Replaces 5687WA/B and has lower noise. Original box. Pictures: See NOS from website menu	48,79	41,00
82	E83CC TESLA, NOS, WB.	114-025-76	NOS TESLA. identical to TFK ECC803S, but no gold pin. Has frame grid / Spanngitter Röhre.	136,85	115,00
83	E88CC / Telefunken Pair <>, NOS, OB.	114-133-88	NOS TFK PAIR <>. Original Boxes + matching data. PRICE IS FOR A PAIR, with Computer Test report. See NOS pages for PDF Copies of all test data.	368,90	310,00
84	E88CC / TESLA, Gold Pin, NOS, MB.	114-042-15	NOS TESLA, original military box, gold-pin.	34,51	29,00
85	E88CC / TESLA, OB, Gold Grid, NOS, OB	114-038-92	NOS TESLA, original blue box, gold-pin. Rare gold-grid version, with test data.	60,69	51,00
86	E81CC Siemens, NOS, OB.	114-138-76	NOS Siemens München. Gemany. Original box. ULTRA Quality. Similar to ECC801S.	32,13	27,00
87	ECC70 / 6021W, NOS, OB.	114-018-19	NOS Philips USA. Military box, with datecode. Secret Tip, Ultra Quality double triode like other ECC types, but with flying leads. Very long life! Teflon Socket has Order Nr. 319-062. Teflon tube damper has Order Nr. 318-036	10,71	9,00
88	ECC801S / 6201 Telefunken, NOS, OB.	114-012-48	NOS Telefunken USA, no <> Original box. Original datasheet of this tube on our website.	14,28	12,00
89	ECC801S Siemens, NOS, OB.	114-013-91	NOS Siemens W-Germany. Original balanced tubes by Siemens München. Original box. ULTRA Quality.	41,65	35,00
90	ECC801S Telefunken, NOS, OB.	114-039-78	NOS Telefunken W-Germany with <> Original box. Original datasheet available	232,05	195,00
91	ECC802S / 5963 Philips SQ, NOS, OB	114-023-94	NOS Philips 5963, Color printed. 5963 =SQ ECC82. Longer "Stand By" allowed, and a balanced tube originally. Replaces ECC802S.	22,61	19,00
92	ECC802S / 6189W Sylvania SQ, NOS, OB.	114-020-87	NOS 6189W. Color printed. 6198W. Equivalent to ECC802S, with 10000 hours lifetime and long Plates. Made for USA government only, Individual boxed.	19,64	16,50
93	ECC802S Tesla, NOS, Various boxes	114-040-88	NOS TESLA. Famous long plates from 1960. In original blue box, or in factory sealed plastic roll. Beautiful quality, finest NOS ECC82 we have available, same optics as TFK ECC802S.	130,90	110,00
94	ECC81 / 12AT7 General Electric, NOS	114-131-09	NOS 12AT7, GE. Color printed, with datecode.	20,23	17,00
95	ECC81 / 12AT7 Philips, NOS, OB.	114-014-67	NOS 12AT7, Philips. Color printed, with datecode. SECRET Tip! Why pay so much for new made tubes, when you can get NOS, original boxed, for this price!	11,66	9,80
96	ECC81 Mullard, NOS, OB.	114-015-14	NOS Mullard England. Copper (!) plate, black coated. Military box, with militray CV part number, and datecode.	36,89	31,00
97	ECC82 / 12AU7WA Philips, NOS, OB	114-033-56	NOS Philips. Original long plates, in colored Philips box. Mint quality items.	45,22	38,00
98	ECC82 / 5814 Philips SQ, NOS, OB	114-022-60	NOS Philips 5814, color printed. 5814 = SQ ECC82 with improved grid isolation. Was only sold to USA government.	22,61	19,00
99	ECC82 FWE, NOS, WB	114-064-88	NOS Funkwerk Erfurt, Germany. Yellow print, in military box with some numbers and	13,09	11,00
100	ECC82 RFT, NOS, OB.	114-050-67	NOS RFT Berlin (East Germany), Original box. The last original RFT.	13,09	11,00
101	ECC82 TELEFUNKEN, NOS, WB	114-086-05	NOS TELEFUNKEN, Germany. Diamond bottem <>. WB, print partailly faded with most, but these are unused tubes. (see NOS Pages). Most excellent test data, Amplitrex test report included. Matched, balanced pairs at no extra cost.	77,35	65,00
102	ECC82 TESLA, NOS, OB	114-049-39	NOS TESLA. Czech Republic. Original boxes, white print, standard pins.	13,69	11,50
103	ECC82 TESLA, Rhodium pin, NOS, WB	114-077-47	NOS TESLA. Czech Republic. Original boxes, Yellow print, Rhodium plated pins.	22,61	19,00
104	ECC82, 12AU7. Raytheon, NOS, OB	114-065-59	NOS Raytheon USA. White box, this was from a stock in Turkey, and all boxes were bad condition. Reboxed in white boxes. Tubes itself are like new. Very nice orange print.	35,70	30,00
105	ECC83 / 12AX7 Philips, NOS, OB	114-024-09	Philips 12AX7, NOS. Blue printing. Military box. Ultra Quality!	61,88	52,00
106	ECC83 / 12AX7 Sylvania, NOS, WB	114-108-89	Sylvania12AX7, NOS. Green printing. Some Military box, some white box. Datecode.1965 on box. Ultra Quality!	80,92	68,00
107	ECC83 Röhrenwerke Anna Seghers, NOS, WB.	114-066-69	NOS Röhrenwerke Anna Seghers, Germany. 1963. Bulk packed. See NOS tubes for beautiful pictures of those.	48,79	41,00
108	ECC88 TESLA, NOS, WB	114-101-90	NOS TESLA. Has frame grid / Spanngitter Röhre.	22,61	19,00
109	ECL86, NOS, WB	114-041-27	NOS, Polamp. Pentode ~ EL84, Triode = ECC83.	24,99	21,00
110	EF806S TESLA, NOS, OB	111-100-55	TESLA, Original Box, with Quality stamp on inside flap. Shipped with Test data on box, with small sticker. Rhodium plates pins. Ultimate EF86 replacement.	70,21	59,00
111	EF95 (6AK5) TFK NOS, NOS, OB	114-073-81	NOS. Telefunken, original box, with <> bottem.	22,61	19,00
112	EL84-EB (Pair), NOS, OB	114-036-27	Russian NOS from 1980's. This is the ULTIMATE EL84. Full DETAILS here: http://jacmusic.com/nos/6P14P-EB	35,11	29,50
113	EL84-EB (Quad), NOS, OB	114-037-39	Russian NOS from 1980's. "EB" is even better than the Sovtek "M" Version. Best EL84 in the world. 10.000 hours and factory selected.	70,21	59,00
114	EM4, NOS, OB	114-034-59	Valvo, gold series original box, silver plated contacts. Amazingly bright. EM4 is nothing but an EM34 with another type socket. We sell the EM4 socket also.	79,73	67,00
115	GM70, NOS, Original Wrap.	114-067-84	NOS. Original Ulyanov Russia. 125 Watt Audio triode. Version with Graphite plate and bright tungsten emitter. Runs on Lundahl transformer LL1688/100. DC heating recommended.	73,78	62,00
116	GR150DA. NOS, OB	114-126-92	NOS. Original tube by DGL France. Original Box. For all Funke testers only GR150DA ("DA" version) can be used. No other!	101,15	85,00
117	GU50 (EL152), NOS, OB	114-043-09	NOS. Russia. Original Box. Excellent Audio pentode, with full 40Watt dissipation. (Datasheet on techcorner of our website)	14,28	12,00
118	INN9, NOS, WB	114-030-79	Neon Linear Bar graph. Only two connections. Bar length depends on current. Sensitivity = 25mm/mA. Bar = 90mm. Why use magic eyes when you can use this?	11,90	10,00
119	OC3 / VR105 Tungstram, NOS, OB	114-028-82	NOS Tungstram. 105 Volt/40mA. Works like Zener diode. Burns bright orange	20,23	17,00

120	OC3 / VR105 USA, NOS, OB	114-027-26	NOS. RCA, Zenith, and other USA brands. Boxes from 1945. 105 Volt/40mA. Works like Zener diode. Pictures: See NOS at website.	34,51	29,00
121	RG105, NOS, OB	114-130-96	NOS, TFK RGN105. Coke bottle glas. Strongest rectifier by TFK! Similar to RGN4004, but even more current.	148,75	125,00
122	Matching for dual triodes. Listed above.	127-015-91	Matching per tube, for small double triodes, like ECC81, ECC88, and others.	10,71	9,00
123	<<< MORE NOS >>>		Check menu at NOS Tubes for more NOS.		
124					

**FULLMUSIC
CLOSE
OUT
SALES**



Full music



**Europe, incl. 19%
MwSt. (VAT) Export
Price**

	Order Nr.	First choice from the TJ tube factory.		Euro	Euro
130	102D (Pair) Fullmusic	116-008-92	Pre-amp. Tennis Ball glass.	One Pair left only	104,87 88,12
131	102D/n (Pair) Fullmusic	116-009-58	Pre-amp. Tennis Ball glass.	One Pair left only	136,33 114,56
132	274A/n/+ (One tube) Fullmusic	116-028-29	Mesh Rectifier, double size! Large coke bottle glass.	One Tube left only	103,56 87,02
133	300B+ (Pair) Fullmusic	116-019-09	Larger version 300B. Can NOT run in standard amplifiers.	One Pair left only	416,50 350,00
134					

#REF!	#REF!	#REF!		Europe, incl. 19% MwSt. (VAT)	Export Price
136	Pin Straightener	699-004-33	For tubes like ECC83, 12AT7, etc. Original NOS Mullard tool. Limited stock.	11,60	10,00

	Order Nr.	Other Chinese tubes		Euro	Euro
139	5U4G / GZ31 China	117-001-72	Shuguang. Rectifier. Nice coke bottle glass, copy of RCA tube.	9,52	8,00
140	6550 China	117-002-29	China. Like vintage GE Type, metal base. Price for PAIR.	39,77	33,42
141	6SL7 China	117-003-67	Vintage construction, metal socket. Single tube. Limited stock	15,30	12,85
142	6SN7GT / 6N8P China	117-006-96	Shuguang. Nice vintage construction, red-brown socket.	10,66	8,95
143	ECC81 China	117-010-91	China. Black plate.	7,14	6,00
144	ECC82 China	117-011-62	China. Black plate.	9,23	7,76

	Order Nr.	VA= Double Selected Quality.		Euro	Euro
146	6550 (Octett) Valve Art	115-018-94	8x Matched tubes. Copy of GE Type. Same glass	299,64	251,80
147	6550 (10-Set) Valve Art	115-019-84	10x Matched tubes. Copy of GE Type. Same glass	381,06	320,22
148	KT66 (Pair) Valve Art	115-010-38	2x Matched tubes. Exact copy of vintage MO Valve KT66. Made with original old tools.	74,11	62,28
149	KT66 (Quad) Valve Art	115-011-49	4x Matched tubes. Exact copy of vintage MO Valve KT66. Made with original old tools.	148,23	124,56
150	KT88 (Pair) Valve Art	115-012-91	2x Matched tubes. With special polished metal base	94,56	79,46
151	KT88 (Quad) Valve Art	115-013-66	4x Matched tubes. With special polished metal base	189,13	158,93
152	KT88 (Sixtett) Valve Art	115-021-43	6x Matched tubes. With special polished metal base	289,64	243,39
153	KT88 (Octett) Valve Art	115-016-56	8x Matched tubes. With special polished metal base	453,70	381,26
154	KT88 (10-Set) Valve Art	115-017-19	10x Matched tubes. With special polished metal base	466,87	392,32
155	KT88 (12-Set) Valve Art	115-022-04	10x Matched tubes. With special polished metal base	567,38	476,79
156					



**Europe, incl. 19%
MwSt. (VAT) Export
Price**

	Order Nr.	Electro Harmonix Tubes		Euro	Euro
159	2A3-EH-G-PL (Pair). ElectroHarmonix.	111-001-76	G=Gold grid, Ceramic Socket. "PL" matched, for Plate Current and Transconductance. Test results on tube box. One QUAD all test data is identical.	135,81	114,13
160	2A3-EH-G-PL (Quad). ElectroHarmonix.	111-002-19	G=Gold grid, Ceramic Socket. "PL" matched, for Plate Current and Transconductance. Test results on tube box. One QUAD all test data is identical.	271,62	228,25
161	5U4GB (One tube). ElectroHarmonix.	111-003-84	Cilinder glass rectifier. Looks same as RCA Types.	17,07	14,35
162	6CA7-EH-PL (Pair). ElectroHarmonix.	111-112-58	PL matched (2x burn-in). Price for PL matched PAIR	46,50	39,08
163	6CA7-EH-PL (Quad). ElectroHarmonix.	111-113-10	PL matched (2x burn-in). Price for PL matched QUAD	93,01	78,16
164	6C45pi-EH-G (Pair). ElectroHarmonix.	111-005-09	Precision Matched pair. Gold pins.	90,89	76,38
165	6C45pi-EH-G / WE347	111-004-81	High gain, small size, high power Triode, gold pins. Superb tube	38,31	32,19
166	6CG7-EH (One tube). ElectroHarmonix.	111-006-26	This is a 6SN7, but Noval based.	21,01	17,66
167	6H30pi-EH-G (One tube). ElectroHarmonix.	111-007-23	The ultimative HiFi Triode. Gold-Pins.	40,49	34,03
168	6H30pi-EH-GB (One tube). ElectroHarmonix.	111-008-79	Balanced tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance. Gold Pins.	47,63	40,03
169	6H30pi-EH-GB (Pair). ElectroHarmonix.	111-009-76	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Gold Pins.	95,27	80,06
170	6L6-EH-PL (Pair). ElectroHarmonix.	111-010-95	PL matched (2x burn-in). Price for PL matched PAIR	48,59	40,83
171	6L6-EH-PL (Quad). ElectroHarmonix.	111-011-34	PL matched (2x burn-in). Price for PL matched QUAD	97,19	81,67
172	6SN7-EH (One tube). ElectroHarmonix.	111-013-91	On par with the famous RCA 5692 tube, with the extra support bars!	22,33	18,76
173	6SN7-EH-G (One tube). ElectroHarmonix.	111-014-48	On par with the famous RCA 5692 tube, with the extra support bars. Gold pins.	39,18	32,93

174	6SN7-EH-GB (One tube). ElectroHarmonix.	111-015-58	Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance. Gold pins.	46,32	38,93
175	6SN7-EH-GB (Pair). ElectroHarmonix.	111-016-90	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Gold Pins.	92,64	77,85
176	6V6-EH-PL (Pair). ElectroHarmonix.	111-126-90	PL matched (2x burn-in). Price for PL matched PAIR	38,52	32,37
177	12AT7-EH (One tube). ElectroHarmonix.	111-017-52	ECC81 Equivalent. HQ Version, with Bright white pins.	13,04	10,96
178	12AT7-EH-G (One tube). ElectroHarmonix.	111-018-82	E81CC Equivalent. HQ Version, with gold pins.	21,67	18,21
179	12AT7-EH-GB (One tube). ElectroHarmonix.	111-019-87	ECC801S Equivalent, with Gold pins. Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance.	28,81	24,21
180	12AT7-EH-GB (Pair). ElectroHarmonix.	111-020-77	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Equivalent to ECC801S. Gold pins.	57,62	48,42
181	12AU7-EH (One tube). ElectroHarmonix.	111-021-29	ECC82 Equivalent. HQ Version, with Bright white pins.	13,04	10,96
182	12AU7-EH-G (One tube). ElectroHarmonix.	111-022-93	E82CC Equivalent. HQ Version, with gold pins.	21,67	18,21
183	12AU7-EH-GB (One tube). ElectroHarmonix.	111-023-73	ECC802S Equivalent, with Gold pins. Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance.	28,81	24,21
184	12AU7-EH-GB (Pair). ElectroHarmonix.	111-024-19	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Equivalent to ECC802S. Gold pins.	57,62	48,42
185	12AX7-EH (One tube). ElectroHarmonix.	111-025-93	ECC83 Equivalent. HQ Version, with white plated pins.	13,04	10,96
186	12AX7-EH-G (One tube). ElectroHarmonix.	111-138-52	E83CC Equivalent. HQ Version, with gold pins.	21,67	18,21
187	12AX7-EH-GB (One tube). ElectroHarmonix.	111-027-29	ECC803S Equivalent, with Gold pins. Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance.	28,81	24,21
188	12AX7-EH-GB (Pair). ElectroHarmonix.	111-028-85	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Equivalent to ECC803S. Gold pins.	57,62	48,42
189	12AX7-EH-GB (Pair). ElectroHarmonix.	111-028-85	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Equivalent to ECC803S. Gold pins.	57,62	48,42
190	12AY7-EH / 6072 (One tube). ElectroHarmonix.	111-029-99	HQ Version, with Bright white pins.	19,63	16,50
191	12BH7-EH (One tube). ElectroHarmonix.	111-030-18	Based on RCA Version	18,82	15,82
192	12BH7-EH-G (One tube). ElectroHarmonix.	111-031-37	Same as above, but gold pins	34,80	29,25
193	300B-EH-PL (Pair). ElectroHarmonix.	111-147-58	Same as Gold Version, but no gold pins and no gold grid	174,12	146,32
194	300B-EH-PL-G (Pair). ElectroHarmonix.	111-032-62	G=Gold grid, Ceramic Socket. Gold Pins."PL" matched, for Plate Current and Transconductance. Tested at 300V/-58V. Data with tube box. One PAIR, all test data is identical.	208,94	175,58
195	300B-EH-PL-G (Quad). ElectroHarmonix.	111-033-09	G=Gold grid, Ceramic Socket. "PL" matched, for Plate Current and Transconductance. Tested at 300V/-58V. Data with tube box. One QUAD, all test data is identical.	417,88	351,16
196	5751-EH-G (One tube). ElectroHarmonix.	111-134-19	Low noise ECC83 version. Gold pins.	24,20	20,34
197	6550-EH-PL (Pair). ElectroHarmonix.	111-037-25	PL matched (2x burn-in). Price for PL matched PAIR	74,78	62,84
198	6550-EH-PL (Quad). ElectroHarmonix.	111-038-92	PL matched (2x burn-in). Price for PL matched QUAD	149,57	125,69
199	6550-EH-PL (8-Set). ElectroHarmonix.	111-145-81	PL matched (2x burn-in). Price for PL matched 8-set	346,37	291,07
200	6550-EH-PL (12-Set). ElectroHarmonix.	111-140-29	PL matched (2x burn-in). Price for PL matched 12-set	519,55	436,60
201	6922-EH (One tube). ElectroHarmonix.	111-039-58	EC88/ 6DJ7. Long Life version, Bright white pins.	15,60	13,11
202	6922-EH-G (One tube). ElectroHarmonix.	111-040-39	E88CC. Long Life version of ECC88 / 6DJ7, with Gold pins.	23,85	20,05
203	6922-EH-GB (One tube). ElectroHarmonix.	111-041-91	Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance. Long Life version of ECC88 / 6DJ7, with Gold pins.	37,13	31,20
204	6922-EH-GB (Pair). ElectroHarmonix.	111-042-64	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Long Life version of ECC88 / 6DJ7, with Gold pins.	74,26	62,40
205	7591A-EH-PL (Quad). ElectroHarmonix.	111-035-91	PL matched (2x burn-in). Price for PL matched QUAD	59,50	50,00
206	7868-EH-PL (Quad). ElectroHarmonix.	111-036-40	PL matched (2x burn-in). Price for PL matched QUAD	71,40	60,00
207	EL34-EH-PL (Pair). ElectroHarmonix.	111-043-66	PL matched (2x burn-in). Price for PL matched PAIR	39,32	33,04
208	EL34-EH-PL (Quad). ElectroHarmonix.	111-044-50	PL matched (2x burn-in). Price for PL matched QUAD	78,64	66,08
209	EL34-EH-PL (6-Set). ElectroHarmonix.	111-104-90	PL matched (2x burn-in). Price for PL matched 6-set	136,59	114,78
210	EL34-EH-PL (8-Set). ElectroHarmonix.	111-045-66	PL matched (2x burn-in). Price for PL matched 8-set	191,63	161,04
211	EL84-EH-PL (Pair). ElectroHarmonix.	111-048-82	PL matched (2x burn-in). Price for PL matched PAIR	26,12	21,95
212	EL84-EH-PL (Quad). ElectroHarmonix.	111-049-09	PL matched (2x burn-in). Price for PL matched QUAD	52,23	43,89
213	KT88-EH-PL (Pair). ElectroHarmonix.	111-050-35	PL matched (2x burn-in). Price for PL matched PAIR	72,57	60,98
214	KT88-EH-PL (Quad). ElectroHarmonix.	111-051-14	PL matched (2x burn-in). Price for PL matched QUAD	145,14	121,97
215	KT88-EH-PL (6-Set). ElectroHarmonix.	111-105-54	PL matched (2x burn-in). Price for PL matched 6-set	280,84	236,00
216	KT88-EH-PL (8-Set). ElectroHarmonix.	111-052-59	PL matched (2x burn-in). Price for PL matched 8-set	374,45	314,66
217	KT88-EH-PL (10-Set). ElectroHarmonix.	111-130-66	PL matched (2x burn-in). Price for PL matched 10-Set	468,06	393,33
218	KT88-EH-PL (12-Set). ElectroHarmonix.	111-131-95	PL matched (2x burn-in). Price for PL matched 12-Set	561,67	471,99
219	KT90-EH-PL (Pair). ElectroHarmonix.	111-106-20	PL matched (2x burn-in). Price for PL matched PAIR	82,88	69,65
220	KT90-EH-PL (Quad). ElectroHarmonix.	111-053-76	PL matched (2x burn-in). Price for PL matched QUAD	165,76	139,29
221					

222



Europe, incl. 19%
MwSt. (VAT) Export
Price

223 **GENALEX, GOLD LION** **Order Nr.**

224	KT66-GL-PL (Pair). Gold-Lion	111-108-47	PL matched (2x burn-in). Price for PL matched PAIR	86,77	72,92
225	KT66-GL-PL (Quad). Gold-Lion	111-109-29	PL matched (2x burn-in). Price for PL matched QUAD	173,54	145,83
226	KT77-GL-PL (Pair). Gold-Lion	111-115-09	PL matched (2x burn-in). Price for PL matched PAIR	105,11	88,32

227	KT77-GL-PL (Quad). Gold-Lion	111-116-85	PL matched (2x burn-in). Price for PL matched QUAD	210,21	176,65
228	KT88-GL-PL (Pair). Gold-Lion	111-110-92	PL matched (2x burn-in). Price for PL matched PAIR	130,85	109,96
229	KT88-GL-PL (Quad). Gold-Lion	111-111-76	PL matched (2x burn-in). Price for PL matched QUAD	261,71	219,92
230	KT88-GL-PL (Octett). Gold-Lion	111-135-93	PL matched (2x burn-in). Price for PL matched QUAD	523,41	439,84

231



Europe, incl. 19%
MwSt. (VAT) **Export Price**

232	TUNG SOL	Order Nr.		Euro	Euro
233	6V6-TS-PL (Pair). Tung-Sol.	111-125-53	PL matched Pair (with 2x burn-in).	42,34	35,58
234	6SN7-GTB (One tube) Tung-Sol.	111-117-92	Russian Re-issue of 6SN7-GTB	20,28	17,04
235	6SL7-GTB (One tube) Tung-Sol.	111-118-19	This is a real new constructed tube. So not an existing tube rebranded Tung Sol.	19,85	16,68
236	6550-TS-PL (Quad). Tung-Sol.	111-054-96	PL matched Quad (with 2x burn-in).	163,93	137,76
237	6550-TS-PL (Sixtett). Tung-Sol.	111-139-04	PL matched Sixtett (with 2x burn-in).	255,42	214,64
238	6550-TS-PL (Octett). Tung-Sol.	111-148-92	PL matched Octett (with 2x burn-in).	342,15	287,52
239	5881-TS-PL (Pair). Tung-Sol.	111-122-67	PL matched Pair (with 2x burn-in). Upgrade for 6L6 and KT66	49,68	41,75
240	5881-TS-PL (Quad). Tung-Sol.	111-123-95	PL matched Quad (with 2x burn-in). Upgrade for 6L6 and KT66	99,36	83,49
241	ECC83 (One tube) Tung-Sol.	111-057-91	Equivalent to 12AX7. HQ Version, with Rhodium pins	16,07	13,50
242	ECC803S-TS-G (One tube) Tung-Sol.	111-058-29	Best Quality available ECC83 / 12AX7 with gold pins. Large halo getter, like Telefunken.	24,39	20,49
243	ECC803S-TS-GB (One tube). Tung-Sol.	111-059-58	Balanced Tube. Two systems in one glass bulb matched together. GB Version with same matching as TFK ECC803S	35,38	29,73
244	ECC803S-TS-GB (Pair). Tung-Sol.	111-060-90	Balanced Matched pair. All four systems matched together. GB Version, with same matching as TFK ECC803S. World's BEST tube from new production.	70,75	59,46
245	EF806S-TS. (One tube) Tung-Sol.	111-061-53	Equivalent to EF86. HQ Version, with gold pins	36,99	31,09
246	EL34B (Pair) Tung-Sol	111-132-66	PL matched (2x burn-in). Price for PL matched PAIR	58,90	49,50
247	EL34B (Quad) Tung-Sol	111-133-46	PL matched (2x burn-in). Price for PL matched QUAD	117,80	98,99
248	KT66-TS-PL (Pair). Tung-Sol.	111-062-01	PL matched (2x burn-in). Price for PL matched PAIR	79,59	66,88
249	KT66-TS-PL (Quad). Tung-Sol.	111-063-85	PL matched (2x burn-in). Price for PL matched QUAD	159,17	133,76
250	KT120-EH-PL (Pair).Tung-Sol.	111-0150-73	PL matched (2x burn-in). Price for PL matched PAIR	95,40	80,17
251	KT120-EH-PL (Quad).Tung-Sol.	111-0151-29	PL matched (2x burn-in). Price for PL matched QUAD	190,80	160,34

252



Europe, incl. 19%
MwSt. (VAT) **Export Price**

253	SVETLANA NOS WINGED =C=	Order Nr.	From Petersburg, Russia.	Euro	Euro
254	EF86. Svetlana NOS	114-001-84	1984 NOS, White mesh plate. Original "rolled box", never unpacked before. See website.	22,61	19,00
255	EL34-SV (Pair) Svetlana NOS, 2002	114-136-33	2002 NOS, with datecode. Orig. Box. Metallic print. Read more about this tube at oru NOS pages, under pentodes.	92,82	78,00
256	EL34-SV (Quad) Svetlana NOS, 2002	114-140-34	2002 NOS, with datecode. Orig. Box. Metallic print. Read more about this tube at oru NOS pages, under pentodes.	185,64	156,00
257	6C4C (=6S4S, 6B4G) = 6A3-Octal, WB. Matched Pair.	114-085-35	NOS 6C4C. Svetlana, Early 1970's Production. This is a 6A3, with Octal base. Mint items. Price is for MATCHED Pair. Testdata included.	87,40	73,45
257	5U4G / GZ31.Svetlana NOS	114-002-19	1975..1985 NOS, 8 filaments. Used by Audio Note. Orig. Box and orig. datasheet.	29,75	25,00

258



Europe, incl. 19%
MwSt. (VAT) **Export Price**

259	SVETLANA New production	Order Nr.	From Reflektor, Ukraine	Euro	Euro
260	12AX7/ ECC83. Svetlana	111-064-67	Very good quality 12AX7 / ECC83.	15,98	13,43

261



Europe, incl. 19%
MwSt. (VAT) **Export Price**

262	SOVTEK	Order Nr.	Original Russian tubes. "NOS" tubes are tubes from original old production. Often better than new production.	Euro	Euro
263	2A3-SOV-PL (Pair)	111-074-18	"PL" matched, for Plate Current and Transconductance. Tested at 250V/-45V. Data with tube box. One PAIR, two identical tubes	137,90	115,88
264	2A3-SOV-PL (Quad)	111-075-55	"PL" matched, for Plate Current and Transconductance. Tested at 250V/-45V. Data with tube box. One QUAD, four identical tubes	275,80	231,76
265	5AR4 / GZ34. Sovtek.	111-124-41	Double Rectifier tube	23,00	19,33
266	5U4G / GZ31. Sovtek	111-077-89	Sovtek NOS. Rectifier tube.	52,57	44,18
267	5Y3GT. Sovtek	111-078-67	Double Rectifier tube	19,60	16,47
268	6AS7. Sovtek.	111-081-34	Sovtek NOS. Twin (BIG) Power Triode.	52,02	43,72
269	6C45pi / WE347. Sovtek	111-080-40	High gain, small size, high power Triode. This tube has it all!	28,28	23,77
270	6H30pi. Sovtek.	111-082-90	The ultimative HiFi Triode!	31,69	26,63
271	6L6GB-SOV-PL (Pair). Sovtek.	111-092-84	PL matched (2x burn-in). Price for PL matched PAIR	30,46	25,59
272	6L6GB-SOV-PL (Quad). Sovtek.	111-093-09	PL matched (2x burn-in). Price for PL matched QUAD	60,91	51,19
273	6SL7-GT. Sovtek.	111-083-48	Sovtek NOS 6H9C. Older construction, hand made tubes.	15,22	12,79
274	6SN7-GT. Sovtek.	111-084-49	Sovtek NOS 6H8C. Older construction, hand made tubes.	17,30	14,54
275	12AX7-LP/ ECC83. Sovtek.	111-088-58	Famous "long plate" ECC83. Looks same as European Philips tubes.	17,30	14,54
276	12AX7-LPS/ Sovtek ECC83	111-089-56	Close copy of Telefunken ECC83.	17,96	15,09
277	12AX7-WA/ ECC83. Sovtek.	111-085-91	Long-life. Dark, boxed plates with open sides. Glows nice!	13,36	11,23
278	12AX7-WB/ 7025 / E83CC Sovtek.	111-086-65	Long-life. Dark, boxed plates with open sides. Glows nice! Low noise, for pre-amps.	18,84	15,83
279	12AX7-WC/ ECC83. Sovtek.	111-087-76		18,18	15,28
280	300B-SOV-PL (Pair).	111-107-93	Out of Production. This is NOS 300B from 1999...2002. "PL" matched, for identical Plate Current and Transconductance. Test data is with the tubes.	178,50	150,00
281	5881-PL (Pair). Sovtek.	111-121-79	Higher power 6L6. "PL" matched Pair. (with 2x burn-in).	39,16	32,91
282	5881-PL (Quad). Sovtek.	111-122-67	Higher power 6L6. "PL" matched Quad. (with 2x burn-in).	78,32	65,81
283	7027. Sovtek.	111-094-43	Single tube	22,51	18,92
284	EF86. Sovtek.	111-097-76	Obsoleted in 2004. Just a few pcs left on stock.	32,86	27,61

285	EL84. Sovtek (single)	111-098-98	EL84 / 6BQ5, Single tube		10,31	8,66
286	EL84. Sovtek (Quad)	111-127-28	EL84 / 6BQ5, Pair		24,02	20,19
287	EL84. Sovtek (Pair)	111-128-49	EL84 / 6BQ5, Quad		48,05	40,38
288	EL84M. Sovtek (Single)	111-142-90	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours		17,40	14,62
289	EL84M. Sovtek (Pair)	111-143-26	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours		38,21	32,11
290	EL84M. Sovtek (Quad)	111-144-74	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours		76,42	64,22
291	KT66-SOV-PL (Quad) . Sovtek.	111-100-55	PL matched (2x burn-in). Price for PL matched QUAD		97,23	81,71
292	KT88-SOV-PL (Quad). Sovtek.	111-101-81	PL matched (2x burn-in). Price for PL matched QUAD		134,69	113,18
293	OB2. Sovtek.	111-095-04	Sovtek NOS. 105Volt Reference tube. Only two connections,works like Zener, but radiates light. NOS		12,05	10,12
294	OC3/ VR105. Sovtek.	111-096-49	Sovtek NOS. 105Volt Stabilizer tube. Only two connections,works like Zener, but radiates light. NOS		17,30	14,54
295						

Europe, incl. 19%
MwSt. (VAT) Export
Price

297	AVVT	Order Nr.	New Old Stock from 1999...2001		Euro	Euro
298	8B. AVVT NOS tubes. (Pair)	112-002-84	AVVT. Gain=8. Driver tube. Matched pair.	C37	379,61	319,00
299	8M. AVVT NOS tubes. (Pair)	112-003-88	AVVT. Mesh. Gain=8 driver tube. Matched pair.	C37	428,40	360,00
300	32B-SL. AVVT NOS tubes. (Pair)	112-007-09	AVVT. This is the one and only original 32B! Matched pair.	ST	549,78	462,00
301	520B-REF. AVVT NOS tubes. (Pair)	112-011-09	AVVT. Solid block plate. Matched pair.	ST	1071,00	900,00
302	AD100-C37. AVVT NOS tubes. (Pair)	112-012-90	AVVT. Powerfull Triode. Matched pair.	C37	473,62	398,00
303	PX25M. AVVT NOS tube.	112-015-90	One single left	Globe	321,30	270,00
304	PX4M. AVVT NOS tubes. (Pair)	112-016-50	AVVT. Mesh. Fully original specs of original PX4. Matched pair.	ST or C37	642,60	540,00
305						

Europe, incl. 19%
MwSt. (VAT) Export
Price

307	Mains Cable	Order Nr.	Per meter, without connectors. Ask for OEM Price per 100meter.		Euro	Euro
308	Mains-Shielded Cable, PVC Cloth	710-042-93	Absolute High-End Mains Cable. Very flexible, with black&white woven PVC outside layer. Triple isolated. 3x 1.5mm ² + copper shield. RFI shielding officially qualified. 9 mm diameter outside diameter. Price is per meter.		13,09	11,00
309	Mains-Flex-Black Cable, PVC Cloth	710-047-69	Mains cable, flexible. With cotton fillings, cloth layer, AND additional PVC cloth layer outside. 3x 1.5mm ² wires. Strong, High-End cable. Price is per meter.		5,83	4,90
310						

Europe, incl. 19%
MwSt. (VAT) Export
Price

312	Speaker cable. Silver and copper.	Order Nr.	Specially made wires and cable. All prices per meter.		Euro	Euro
313	Speaker-Duo-Litz-Cotton-Black	710-030-91	Cotton sleeve outside. Single color, brownish black. 2x 10mm ² , 2x 800 Litz. AWG7 litz wire. White + Red cotton inside isolation + additional clear PVC isolation. Very high quality OFC Copper, low rsistance, only 0,0016 Ohm per meter. Price per meter.		10,60	8,91
314	Speaker-Duo-Litz-Cotton-2Color	710-015-07	Cotton sleeve outside. Duo color, brownish black + white. 2x 10mm ² , 2x 800 Litz. AWG7 litz wire. White + Red cotton inside isolation + additional clear PVC isolation. Very high quality OFC Copper, low rsistance, only 0,0016 Ohm per meter. Price per meter.		10,60	8,91
315	Speaker-Duo-Litz-Cotton-PVC	710-016-39	PVC sleeve outside. Duo color, deep black + white. 2x 10mm ² , 2x 800 Litz. AWG7 litz wire. White + Red cotton inside isolation + additional clear PVC isolation. Very high quality OFC Copper, low rsistance, only 0,0016 Ohm per meter. Price per meter.		11,57	9,72
316	Silver-Cotton Litz. 2x 15x 0.4mm. 100% Pure (4N)	710-028-19	SPEAKER CABLE, made of 2x 15 Litz Strands of 0.4mm, Soft, pure silver (4N). 15x Red and 15x White. Each strand individually cotton isolated for lowest skin effect. This gives effectively 2x 2mm ² / or 2x AWG16. Outglowed, soft, pure silver (4N). This is a double wire cable (red+ white). Minimum order length 4meter, maximum 10meter. Price per meter.		145,26	122,07
317	Silver-Cotton Litz. 2x 21x 0.4mm. 100% Pure (4N)	710-029-77	ULTIMATE SPEAKER CABLE, made of 2x 21 Litz Strands of 0.4mm, Soft, pure silver (4N). 21x Red and 21x White. Each strand individually cotton isolated for lowest skin effect. This gives effectively 2x 2,8mm ² / or 2x AWG17. Outglowed, soft, pure silver (4N). This is a double wire cable (red+ white). Minimum order length 4meter, maximum 10meter. Price per meter.		203,36	170,89
318	Solid-Silver. 4x08-Red-White. 100% Pure (4N)	710-043-70	SOLID SILVER SPEAKER CABLE, made of 4x (D=0.8mm /AWG20). soft, outglowed, pure 4N silver. 2x red + 2x white. Each wire has double layer Cotton "Push-back" isolation, 4,5mm outside diameter. Minimum order length 4meter, maximum 10meter. Price per meter.		72,22	60,69
319						

Europe, incl. 19%
MwSt. (VAT) Export
Price

320	Solid Silver + Litz wire	Order Nr.	Specially made wires and cable. All prices per meter.		Euro	Euro
321	Silver-Litz-TF7-Clear	710-003-89	For signal. High flex Teflon cable. 7x0.15mm. No cloth, clear Teflon. Price per meter.		5,77	4,85
322	Silver-Litz-TF7-White (no cloth)	710-004-76	300V. For signal. Flexible white teflon cable. 7x0.15mm. No cloth. Price per meter.		1,90	1,60
323	Silver-Litz-TF7-Black	710-006-27	400V. For signal. Flexible cable, 7x0.15mm. Teflon + Black Cotton. Price per meter.		2,50	2,10
324	Silver-Litz-TF7-Red	710-035-48	400V. For signal. Flexible cable, 7x0.15mm. Teflon +Red Cotton. Price per meter.		2,50	2,10
325	Silver-Litz-TF7-White (cotton)	710-034-78	400V. For signal. Flexible cable, 7x0.15mm. Teflon +White Cotton. Price per meter.		2,50	2,10
326	Litz-1k5-Red	710-046-74	1500V Continious DC wire. With Red cotton outside. HQ wire. Ideal for GM70, 845 tubes etc. Also for plate caps, flexible, high bend cycle cable, Max 10 Amps. Price per meter.		7,74	6,50
327	Speaker-Duo-Litz-Cotton-Black	710-030-91	Cotton sleeve outside. Single color, brownish black. 2x 10mm ² , 2x 800 Litz. AWG7 litz wire. White + Red cotton inside isolation + additional clear PVC isolation. Very high quality OFC Copper, low rsistance, only 0,0016 Ohm per meter. Price per meter.		10,60	8,91
328	Speaker-Duo-Litz-Cotton-2Color	710-015-07	Cotton sleeve outside. Duo color, brownish black + white. 2x 10mm ² , 2x 800 Litz. AWG7 litz wire. White + Red cotton inside isolation + additional clear PVC isolation. Very high quality OFC Copper, low rsistance, only 0,0016 Ohm per meter. Price per meter.		10,60	8,91

329	Speaker-Duo-Litz-Cotton-PVC	710-016-39	PVC sleeve outside. Duo color, deep black + white. 2x 10mm ² , 2x 800 Litz. AWG7 litz wire. White + Red cotton inside isolation + additional clear PVC isolation. Very high quality OFC Copper, low resistance, only 0,0016 Ohm per meter. Price per meter.	11,57	9,72
330	Solid-Silver-04-Black, 100% Pure (4N)	710-020-35	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Brownish-Black. Price per meter.	3,68	3,09
331	Solid-Silver-04-Blue, 100% Pure (4N)	710-040-07	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Dark-blue. Price per meter.	3,68	3,09
332	Solid-Silver-04-Red, 100% Pure (4N)	710-017-92	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Chili-Red. Price per meter.	3,68	3,09
333	Solid-Silver-04-White, 100% Pure (4N)	710-019-07	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Ivory-white. Price per meter.	3,68	3,09
334	Solid-Silver-04-Yellow, 100% Pure (4N)	710-018-70	D=0.4mm /AWG26. Soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Dark-Yellow. Price per meter.	3,68	3,09
335	Solid-Silver-08-Black, 100% Pure (4N)	710-039-70	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Brownish-black. For speaker cable, or medium voltage application.. Price per meter.	13,79	11,59
336	Solid-Silver-08-Blue, 100% Pure (4N)	710-045-87	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Dark blue. For speaker cable, or medium voltage application.. Price per meter.	13,79	11,59
337	Solid-Silver-08-Red, 100% Pure (4N)	710-036-90	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Chili Red. For speaker cable, or medium voltage application.. Price per meter.	13,79	11,59
338	Solid-Silver-08-White, 100% Pure (4N)	710-033-90	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Ivory white. For speaker cable, or medium voltage application.. Price per meter.	13,79	11,59
339	Solid-Silver-04, 100% Pure (4N)	710-021-05	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). No isolation. Price per meter.	3,18	2,67
340	Solid-Silver-08, 100% Pure (4N)	710-037-50	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). not isolated. Price per meter.	12,87	10,81
341	Solid-Silver-12, 100% Pure (4N)	710-023-84	D=1.2mm /AWG17. soft, outglowed, pure silver. (4N). not isolated. Price per meter.	28,82	24,22
342	Solid-Silver-15, 100% Pure (4N)	710-024-87	D=1.5mm /AWG15. soft, outglowed, pure silver. (4N). not isolated. Price per meter.	45,03	37,84
343	Solid-Silver-20, 100% Pure (4N)	710-025-09	D=2.0mm /AWG12. soft, outglowed, pure silver. (4N). not isolated. Price per meter.	80,05	67,27
344	Solid-Silver Litz. 7x 0.4mm. 100% Pure (4N)	710-027-33	Construct your own mains cable or speaker cable from this, you need your own Teflon tubes for isolation, we supply it without isolation. Minimum order length 4meter, maximum 10meter. Price per meter.	33,89	28,48
345	Silver-Cotton Litz. 2x 15x 0.4mm. 100% Pure (4N)	710-028-19	SPEAKER CABLE, made of 2x 15 Litz Strands of 0.4mm, Soft, pure silver (4N). 15x Red and 15x White. Each strand individually cotton isolated for lowest skin effect. This gives effectively 2x 2mm ² / or 2x AWG16. Outglowed, soft, pure silver (4N). This is a double wire cable (red+ white). Minimum order length 4meter, maximum 10meter. Price per meter.	145,26	122,07
346	Silver-Cotton Litz. 2x 21x 0.4mm. 100% Pure (4N)	710-029-77	ULTIMATE SPEAKER CABLE, made of 2x 21 Litz Strands of 0.4mm, Soft, pure silver (4N). 21x Red and 21x White. Each strand individually cotton isolated for lowest skin effect. This gives effectively 2x 2,8mm ² / or 2x AWG17. Outglowed, soft, pure silver (4N). This is a double wire cable (red+ white). Minimum order length 4meter, maximum 10meter. Price per meter.	203,36	170,89
347	Solid-Silver. 4x08-Red-White. 100% Pure				



LUNDAHL

— TRANSFORMERS —



Europe, incl. 19% Export
MwSt. (VAT) Price

TUBE POWER SUPPLY CHOKES. Recommended configurations. Lowest copper resistance not always better. Some resistance will give protection during switch on and possible saturation phase of the choke!

LUNDAHL (Part1)			DC-mA	Henry	Euro	Euro
351	Hint:	For small pre-amps, use plate chokes like LL1667/25 as power supply chokes. They are qualified for this use too.	25	168		
352	LL1673-20H	218-010-36 Both coils in Series, Copper resistance 60 Ohm	100	20	93,99	78,98
353	LL1685-17H (100mA)	218-013-87 Both coils in Series, Copper resistance 130 Ohm	100	17	86,00	72,27
354	LL1685-13H (130mA)	218-012-93 Both coils in Series, Copper resistance 130 Ohm	130	13	86,00	72,27
355	LL1673-15H	218-009-64 Both coils in Series, Copper resistance 60 Ohm	140	15	93,99	78,98
356	LL1638-10H	218-004-18 Both coils in Series, Copper resistance 36 Ohm	160	10	93,99	78,98
357	LL1673-10H	218-008-14 Both coils in Series, Copper resistance 60 Ohm	200	10	93,99	78,98
358	LL1638-08H	218-007-67 Both coils in Series, Copper resistance 36 Ohm	200	8	93,99	78,98
359	LL1673-15H	218-009-64 Both coils in parallel, Copper resistance 15 Ohm	280	4	93,99	78,98
360	LL1685-10H (160mA)	218-011-19 Both coils in parallel, Copper resistance 33 Ohm	320	3	86,00	72,27
361	LL1638-04H	218-005-48 Both coils in Series, Copper resistance 36 Ohm	400	4	93,99	78,98
362					Europe, incl. 19% MwSt. (VAT)	Export Price
LUNDAHL (Part2)			Ampere	mH	Euro	Euro
363	Order Nr.	FILAMENT CHOKES, OR HIGH CURRENT CHOKES				
364	LL1694-1.5A	218-221-35 Low drop Filament Choke, for 1.5A (1,8 Ohm) or 3A (0,45 Ohms)	1,5 ... 4,8	160	70,59	59,32

365	LL1694-2A	218-224-39	Low drop Filament Choke, for 2A (1,8 Ohm) or 4A (0,45 Ohms)	4 ... 6.4	120	70,59	59,32
366	LL2733-1.7A	218-225-58	Filament Choke, for 1.7A (3,4 Ohm) or 3,4A (0,85 Ohms)	1,7 ... 5.4	400	90,46	76,02
367							
368	LUNDAHL (Part3)	Order Nr.	PLATE CHOKES, GRID CHOKES	DC-mA	Henry	Euro	Euro
369	LL1667-05mA	218-014-39	Choke. Plate, Dual coil 1+1. Max 390V,RMS.	5mA	810H	93,99	78,98
370	LL1667-07mA	218-015-60	Choke. Plate, Dual coil 1+1. Max 390V,RMS.	7mA	580H	93,99	78,98
371	LL1667-10mA	218-016-94	Choke. Plate, Dual coil 1+1. Max 390V,RMS.	10mA	405H	93,99	78,98
372	LL1667-15mA	218-017-09	Choke. Plate, Dual coil 1+1. Max 390V,RMS	15mA	270H	93,99	78,98
373	LL1667-20mA	218-018-76	Choke. Plate, Dual coil 1+1. Max 390V,RMS	20mA	200H	93,99	78,98
374	LL1667-25mA	218-019-91	Choke. Plate, Dual coil 1+1. Max 390V,RMS	25mA	168H	93,99	78,98
375	LL1668-25mA	218-020-26	Choke. Plate, Dual coil 1+1. Max 285V,RMS	25mA	100H	89,65	75,34
376							
377	LUNDAHL (Part4)	Order Nr.	Grid Choke. Special for tube Grid. 1:1 or 1:2 step up	DC-mA	Henry	Euro	Euro
378	LL1670 Grid Choke	218-021-82	Grid Choke. Special for tube Grid. 1:1 or 1:2 step up	0,8mA	540H	81,41	68,41
379							
380	LUNDAHL (Part5)	Order Nr.	INTERSTAGE TRANSFORMERS	DC-mA	Henry	Euro	Euro
381	LL1580	218-022-81	Splitter. For Push Pull. 1: 1: 1+1			75,99	63,86
382	LL1621-06mA	218-023-79	1+1: 1+1. Max Out 135V RMS. max 100kHz with peaking cap	6mA	130H	93,99	78,98
383	LL1621-20mA	218-024-58	1+1: 1+1. Max Out 135V RMS. max 100kHz with peaking cap	20mA	30H	93,99	78,98
384	LL1621-PP	218-025-94	1+1: 1+1. Max Out 135V RMS. max 100kHz with peaking cap	Balanced	>300H	93,99	78,98
385	LL1635-05mA	218-026-56	1+1: 1+1 Max output 125V RMS. 60kHz without cap.	5mA	130H	100,34	84,32
386	LL1635-20mA	218-027-59	1+1: 1+1 Max output 125V RMS. 75kHz without cap.	20mA	30H	100,34	84,32
387	LL1635-PP	218-028-90	1+1: 1+1 Max output 125V RMS. 60kHz without cap.	Balanced	300H	100,34	84,32
388	LL1660-10mA	218-029-27	Also Line Output, 1+1+1+1: 2.25+2.25	(H in Alt.Q)	180H	101,83	85,57
389	LL1660-14mA	218-237-19	Also Line Output, 1+1+1+1: 2.25+2.25	(H in Alt.Q)	130H	101,83	85,57
390	LL1660-18mA	218-032-78	Also Line Output, 1+1+1+1: 2.25+2.25	(H in Alt.Q)	100H	101,83	85,57
391	LL1660-25mA	218-034-27	Also Line Output, 1+1+1+1: 2.25+2.25	(H in Alt.Q)	72H	101,83	85,57
392	LL1660-AM-10mA	218-031-92	same as above, but amorphous core. NEW!	Amorph	180H	236,79	198,98
393	LL1660-AM-14mA	218-238-85	same as above, but amorphous core. NEW!	Amorph	130H	236,79	198,98
394	LL1660-AM-18mA	218-033-88	same as above, but amorphous core. NEW!	Amorph	100H	236,79	198,98
395	LL1660-AM-25mA	218-035-15	same as above, but amorphous core. NEW!	Amorph	72H	236,79	198,98
396	LL1660-AM-PP	218-038-85	same as above, but amorphous core. NEW!	Amorph	290H	236,79	198,98
397	LL1660-PP	218-036-09	Dual output, for driving it with PP Tubes. 15% Max offset.	Balanced	290H	101,83	85,57
398	LL1660-PPZ	218-213-84	Special version for parafeed or other appl. with Zero DC current.	Parafeed	580H	101,83	85,57
399	LL1660-S-10mA	218-030-39	Also Line Output, 1+1+1+1: 2.25+2.25	Shielded	180H	122,65	103,07
400	LL1660-S-14mA	218-240-18	Also Line Output, 1+1+1+1: 2.25+2.25	Shielded	130H	122,65	103,07
401	LL1660-S-18mA	218-040-81	Also Line Output, 1+1+1+1: 2.25+2.25	Shielded	100H	122,65	103,07
402	LL1660-S-25mA	218-212-19	Also Line Output, 1+1+1+1: 2.25+2.25	Shielded	72H	122,65	103,07
403	LL1660-S-AM-PP	218-180-58	Dual output with air gap, Shielded, Amorph	Balanced	290H	257,61	216,48
404	LL1660-S-PP	218-037-85	Dual output with air gap, Shielded.	Balanced	290H	122,65	103,07
404	LL1671-20mA	218-247-24	High-Current, or Line Output, 1+1+1+1: 2+2	Universal	52H	100,34	84,32
405	LL1671-30mA	218-041-43	High-Current, or Line Output, 1+1+1+1: 2+2	Universal	35H	100,34	84,32
406	LL1671-AM-30mA	218-043-67	same as above, but amorphous core. NEW!	Amorph	Universal	236,79	198,98
407	LL1671-AM-PP	218-045-32	same as above, but amorphous core. NEW!	Amorph	Universal	236,79	198,98
408	LL1671-PP	218-044-98	High-Current, or Line Output, 1+1+1+1: 2+2	Balanced	Universal	100,34	84,32
409	LL1677-60mA	218-046-81	For 300B, 2A3, or other. Can be used 1:2 or 1:1.	60mA	32H	108,46	91,14
410	LL1677-80mA	218-048-98	For 300B, 2A3, or other. Can be used 1:2 or 1:1.	80mA	24H	108,46	91,14
411	LL1677-AM-60mA	218-047-90	same as above, but amorphous core. NEW!	Amorph	32H	243,55	204,66
412	LL1677-AM-80mA	218-049-48	same as above, but amorphous core. NEW!	Amorph	24H	243,55	204,66
413	LL1689-09mA	218-227-52	9+9: 1+1+1+1+1. Interstage, for tube applications	9mA	180H	115,75	97,27
414	LL1689-18mA	218-071-68	9+9: 1+1+1+1+1. Interstage, for tube applications	18mA	90H	115,75	97,27
415	LL1689-AM-09mA	218-228-91	same as above, but amorphous core. NEW!	Amorph	180H	250,71	210,68
416	LL1689-AM-18mA	218-072-98	same as above, but amorphous core. NEW!	Amorph	90H	250,71	210,68
417	LL1689-AM-PP	218-070-47	same as above, but amorphous core. NEW!	Amorph	290H	250,71	210,68
418	LL1689-PP	218-069-95	9+9: 1+1+1+1+1. Interstage, for tube applications	Balanced	290H	115,75	97,27
419	LL1692A-18mA	218-204-93	Also Line Output. 1+1+1+1: 1.75+1.75	18mA	24...95H	101,83	85,57
420	LL1692A-25mA	218-233-74	Also Line Output. 1+1+1+1: 1.75+1.75	25mA	17...68H	101,83	85,57
421	LL1692A-40mA	218-234-29	Also Line Output. 1+1+1+1: 1.75+1.75	40mA	11...18H	101,83	85,57
422	LL1692A-PP	218-216-26	Also Line Output. 1+1+1+1: 1.75+1.75	Balanced	210H	101,83	85,57
423	LL1692A-AM-18mA	218-223-91	same as above, but amorphous core. NEW!	Amorph	24...95H	236,79	198,98
424	LL1692A-AM-PP	218-205-68	same as above, but amorphous core. NEW!	Amorph	210H	236,79	198,98
425							
426	LUNDAHL (Part6)	Order Nr.	SIGNAL INPUT			Europe, incl. 19% MwSt. (VAT)	Export Price Euro Euro
427	LL1531	218-055-19	High impedance, line input.	1+1: 2	0..10dBU	55,72	46,82
428	LL1532	218-056-93	Medium impedance. Line input or microphone Input	1+1: 2		54,91	46,14
429	LL1540	218-058-59	High impedance, high level line input.	1+1: 1+1	30 dBu	62,48	52,50
430	LL1544A	218-059-69	Can be wired for 600 Ohm, 2k5 or 10k. Amorphous Core.	1+1+1+1:2+2	shielded	76,14	63,98
431	LL1545A	218-060-84	Can be wired for 600 Ohm, 2k5 or 10k. Mu-Metall Core.	1+1+1+1:2+2	shielded	67,47	56,70
432	LL1592	218-173-23	High impedance. High phase splitting balance (46dB)	1+1: 1+1	29 dBu	86,68	72,84
433	LL1674	218-066-81	Input. Use 1:2 or 1:4 step up. Can be reversed.	1+1: 4+4	Amorph	117,11	98,41
434	LL1676	218-067-69	Input. Use 1:1 or 1:2 step up. Can be reversed.	1+1: 2+2	Amorph	117,11	98,41
435	LL1690	218-177-34	Input. Also excellent for phase splitting.	1+1: 1+1	Amorph	117,11	98,41
436	LL1922	218-073-07	1:4 or 1:8 step up for 600 Ohm input. Replaces UTC LS-10	1+1: 4+4	26dBu	91,82	77,16
437	LL7901	218-075-92	Input. High performance. Universal type. 1+1+1+1: 1+1+1+1	34 dBu	High imp.	126,97	106,70
438	LL7902	218-076-79	Input. High performance. Universal type. 1+1+1+1: 1+1+1+1	28 dBu	Low R-Cu	125,35	105,34

439									
440	LUNDAHL (Part7)	Order Nr.	SIGNAL OUTPUT					Euro	Euro
441	LL1517	218-051-68	Audio Output, balanced or unbalanced drive. Mu Case.	1+1 : 1+1	24 dBu	61,94	52,05		
442	LL1524	218-052-34	Audio Output, balanced drive. Mu Case.	1+1 : 1+1	24 dBu	55,17	46,36		
443	LL1539	218-057-88	Audio Output, balanced drive.	2 : 1+1		55,17	46,36		
444	LL1630-05mA	218-064-27	Max in: 130V Out: 18 Volt. 7.2+7.2 : 1+1	7.2+7.2 : 1+1	130H	125,49	105,45		
445	LL1630-10mA	218-187-29	Max in: 130V Out: 18 Volt. 7.2+7.2 : 1+1	7.2+7.2 : 1+1	78H	125,49	105,45		
446	LL1630-PP	218-065-91	Max in: 639V Out: 45 Volt. 7.2+7.2 : 1+1. Also headphone.	7.2+7.2 : 1+1	300H	125,49	105,45		
447	LL1680-5mA	218-068-58	Line Output. Replaces UTC LS-27. 600Ohm or 1500Ohm output.	1:9 or 1:4.5	210H	120,49	101,25		
448	LL1585	218-063-93	Outputs can be in series or parallel.	2x7Volt	Output	67,21	56,48		
449									
450	LUNDAHL (Part8)	Order Nr.	FOR SIGNAL, VARIOUS FUNCTIONS					Euro	Euro
451	LL1527	218-053-73	General Purpose Transformer	1+1 : 1+1	16dBu	58,96	49,55		
452	LL1527A	218-148-64	LL1527, but with split shields	1+1 : 1+1	16dBu	58,96	49,55		
453	LL1527-XL	218-054-26	LL1527, but high signal version	1+1 : 1+1	19dBu	69,91	58,75		
454	LL1570	218-061-89	Low impedance. Input or output.	1+1 : 1+1	16 dBu	65,05	54,66		
455	LL1570-XL	218-062-76	Low impedance. Input or output. High signal.	1+1 : 1+1	19 dBu	75,99	63,86		
456	LL1575	218-156-67	Video Transformer 20Hz11MHz	1 : 1	1 Volt	47,20	39,66		
457	LL1588	218-165-37	High Level General Purpose	1+1 : 1+1	25dbu	86,68	72,84		
458	LL5402	218-074-39	Very Low distortion. Unbalanced drive possible.	2+2 : 1+1	Universal	53,95	45,34		
459								Europe, incl. 19% MwSt. (VAT)	Export Price
460	LUNDAHL (Part9)	Order Nr.	MOVING COIL TRANSFORMERS	Freq.	Core	Euro	Euro		
461	LL1636	218-087-77	equals LL9206, but LL1636 is double shielded	10-90k	Amorph	80,46	67,61		
462	LL1678	218-080-09	MC. 1:8 or 1:16 or 1:32. Shielded.	10-90k	Amorph	69,38	58,30		
463	LL1681	218-081-84	MC. 1:13 or 1:26. Double shielded	7-70k	Mu-Core	97,37	81,82		
464	LL1931	218-229-86	MC. 1:8 or 1:16. COBALT core, and Cardas™ Wire.	10-100k	Amorph	205,28	172,50		
465	LL1933	218-220-95	MC. 1:8 or 1:16. NICKEL core, and Cardas™ Wire.	10-100k	Amorph	164,98	138,64		
466	LL1941	218-245-92	MC. 1:16 or 1:32. COBALT core, and Cardas™ Wire.	10-100k	Amorph	205,28	172,50		
467	LL1943	218-245-92	MC. 1:16 or 1:32. NICKEL core, and Cardas™ Wire.	10-100k	Amorph	164,98	138,64		
468	LL9206	218-078-35	MC. 1:5 or 1:10 or 1:20. Shielded	10-90k	Amorph	74,24	62,39		
469	LL9226	218-226-90	Improved (Cobalt Core) Version of LL9206. Wider Frequency range	10-100k	Amorph	78,03	65,57		
470	MC Cookbook by EMAIL only	218-231-29	Basics about building an MC transformer. Includes Excel program			17,85	15,00		
471	Discount, for the MC Cookbook	218-232-92	Discount, for buying MC Cookbook before.			-17,85	-15,00		
472									
473	LUNDAHL (Part10)	Order Nr.	GUITAR INPUT					Euro	Euro
474	LL1935	218-222-37	High impedance Guitar Pickup to low impedance input.			63,01	52,95		
475	LUNDAHL (Part11)	Order Nr.	MICROPHONE, PHONO INPUT					Euro	Euro
476	LL1528	218-082-87	1+1 : 2.5 + 2.5			59,77	50,23		
477	LL1530	218-083-09	1+1 : 3.5+3.5			60,31	50,68		
478	LL1538	218-084-90	1+1 : 5. High performance	0dBu		67,47	56,70		
479	LL1538-XL	218-085-33	1+1 : 5. High performance. High Signal.	3dBu		78,84	66,25		
480	LL1576	218-086-19	Microphone, or line Box.	1+1 : 7		67,47	56,70		
481	LL1578	218-158-48	Microphone, or line Box.	1+1 : 10	Mu-Core	67,47	56,70		
482	LL1578-XL	218-159-96	Microphone, or line Box. High Signal	1+1 : 10	Mu-Core	78,84	66,25		
483	LL1581-XL	218-236-55	Microphone Splitter. 600 Ohms input	1 : 1+1	Mu-Core	84,38	70,91		
484	LL1636	218-087-77	Microphone or MC. 1+1+1+1 : 10+10			80,46	67,61		
485	LL1927A	218-181-58	Ribbon Microphone. 1+1 : 55+55		Amorph	79,24	66,59		
486	LL2912	218-209-56	Flying Lead version of 2911 and 2913		Amorph	67,89	57,05		
487	LL2913	218-200-67	LL2911 with another pinout. Use 2913 for new designs		Amorph	67,89	57,05		
488	LL7903	218-089-33	Micr, or Line Input. Universal Type. 1+1+1+1 : 2+2+2+2	28dBu	Low R-Cu	126,97	106,70		
489	LL7905	218-090-90	Micr, or Line Input. Universal Type. 1+1+1+1 : 5.6 + 5.6.	37dBu	Low R-Cu	126,97	106,70		
490	LL7904	218-172-17				133,88	112,50		
491									
492	LUNDAHL (Part12)		For Digital Audio. Finest Quality.					Euro	Euro
493	LL1572	218-154-72	For Digital Audio. Turns Ratio 1:1		Amorph	23,53	19,77		
494	LL1573	218-174-89	For Digital Audio. Turns Ratio 1:1:1		Amorph	29,35	24,66		
495	LL1574	218-160-94	For Digital Audio. Turns Ratio 1:1.2 (can be reversed)		Amorph	23,53	19,77		
496	LL1589	218-175-76	For Digital Audio. Turns Ratio 1:1:1:1		Amorph	35,30	29,66		
497									
498	LUNDAHL (Part13)	Order Nr.	Mogami Cable, with transformer, for hum cancelling	Level				Euro	Euro
499	LL6810-PHMPHM	218-091-90	RCA-Male <=> RCA-Male.			120,89	101,59		
500	LL156X-3FX3MX	218-189-72	XLR-Female <=> XLR-Male			151,86	127,61		
501	LL156X-3FXNP2C	218-190-09	XLR Female <=> Mono Jack Plug 1/4"			165,52	139,09		
502	LL156X-3FXPHM	218-191-94	XLR Female <=> RCA-Male			164,71	138,41		
503	LL156X-PHF3MX	218-192-55	XLR Male <=> RCA-Female			151,86	127,61		
504	LL1584-3FX3MX	218-193-39	XLR Female <=> XLR-Male			151,86	127,61		
505	LL1584-3FXNP2C	218-194-85	XLR-Female <=> Mono Jack Plug 1/4"			165,52	139,09		
506	LL1584-3FXPHM	218-196-18	XLR-Female <=> RCA-Male	HiFi		164,71	138,41		
507	LL1584-PHF3MX	218-197-37	RCA-Female <=> XLR-Male	HiFi		151,86	127,61		
508	LL2615-3FXPHM	218-198-62	XLR-Female <=> RCA Male	Very High		142,80	120,00		
509	LL2616-3MXPHM	218-199-19	XLR-Male <=> RCA-Male	Very High		142,80	120,00		
510								Europe, incl. 19% MwSt. (VAT)	Export Price
511	LUNDAHL (Part14) PP / IRON	Order Nr.	PUSH PULL Multi-impedance					Euro	Euro
512	LL1627-PP	218-092-88	2k3, 1k2, 0,65k, giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	214,88	180,57		

513	LL1693-PP (BIG CORE)	218-178-28	2k3, 1k, 0,6k giving 180, 360, 700Watt. 4-8-16	PP	150H	322,11	270,68
514	LL1623-PP	218-093-48	5k6, 3k, 1k6, giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	214,88	180,57
515	LL1688-PP (BIG CORE)	218-094-90	20k5, 9k2, 5k5, giving 72, 160, 320Watt. 4-8-16	PP		322,11	270,68
516	LL1679-PP	218-095-69	9k7, 4k5, 2k6, giving 45, 105, 188 Watt. 4-8-16	Ultra-Lin	36% tap	216,22	181,70
517	LL1679-PPZ	218-214-81	Special version for parafeed or other appl. with Zero DC current.	Parafeed		216,22	181,70
518	LL1620-PP	218-096-43	11k5, 6k, 3k3, giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	214,88	180,57
519	LL1620-PP-CFB	218-202-49	11k5, 6k, 3k3, giving 62, 125, 250Watt. 4-8-16	Cath FB	25% tap	236,24	198,52
520	LL9202-PP	218-097-71	23k, 11k, 6k5 giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	214,88	180,57
521							
522	LUNDAHL (Part15) PP /	Order Nr.	PUSH PULL Multi-impedance			Euro	Euro
523	LL1627-AM-PP	218-098-07	2k3, 1k2, 0,65, giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	376,06	316,02
524	LL1623-AM-PP	218-099-29	5k6, 3k, 1k6, giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	376,06	316,02
525	LL1679-AM-PP	218-100-93	9k7, 4k5, 2k6, giving 45, 105, 188 Watt. 4-8-16	Ultra-Lin	36% tap	377,29	317,05
526	LL1620-AM-PP	218-101-89	11k5, 6k, 3k3, giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	376,06	316,02
527	LL1620-AM-PP-CFB	218-203-15	11k5, 6k, 3k3, giving 62, 125, 250Watt. 4-8-16	Cath FB	25% tap	397,44	333,98
528	LL9202-AM-PP	218-102-79	23k, 11k, 6k5 giving 62, 125, 250Watt. 4-8-16	Ultra-Lin	50% tap	376,06	316,02
529							
530	LUNDAHL (Part16) PP / IRON	Order Nr.	PUSH PULL Single Impedance			Euro	Euro
531	LL1664-PP	218-103-77	3k to 8 Ohm. 55Watt. With Ultra Linear Tap.	PP	200H	133,47	112,16
532	LL1663-PP	218-104-74	5k to 8 Ohm. 40Watt. With Ultra Linear Tap.	PP	200H	133,47	112,16
533	LL1682-PP	218-105-69	5k5 to 5 Ohm. 40Watt. With Ultra Linear Tap.	PP	200H	133,47	112,16
534	LL1691-PP (BIG CORE)	218-186-87	9k to 8 Ohm, 160Watt. For 845, GM70	PP		322,11	270,68
535							
536	LUNDAHL (Part17) PP /	Order Nr.	PUSH PULL Single Impedance			Euro	Euro
537	LL1664-AM-PP	218-184-82	3k to 8 Ohm. 55Watt. With Ultra Linear Tap.		200H	294,39	247,39
538	LL1663-AM-PP	218-183-51	5k to 8 Ohm. 40Watt. With Ultra Linear Tap.		200H	294,39	247,39
539	LL1682-AM-PP	218-182-90	5k5 to 5 Ohm. 40Watt. With Ultra Linear Tap.		200H	294,39	247,39
540							
541	LUNDAHL (Part18) SE / IRON	Order Nr.	SINGLE ENDED Multi Impedance			Euro	Euro
542	LL1627-090mA	218-106-85	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	90mA	18H	214,88	180,57
542	LL1627-120mA	218-251-91	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	120mA	14H	214,88	180,57
543	LL1627-140mA	218-107-95	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	140mA	12H	214,88	180,57
544	LL1627-185mA	218-108-27	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	185mA	9H	214,88	180,57
545	LL1693-230mA (BIG CORE)	218-179-91	2k3, 1k, 0,6k giving 35, 70, 140Watt. 4-8-16	230mA	16H	322,11	270,68
546	LL1623-060mA	218-109-00	5k6, 3k, 1k6, giving 13, 25, 50Watt.	60mA	46H	214,88	180,57
547	LL1623-090mA	218-110-72	5k6, 3k, 1k6, giving 13, 25, 50Watt.	90mA	30H	214,88	180,57
548	LL1623-120mA	218-111-49	5k6, 3k, 1k6, giving 13, 25, 50Watt.	120mA	24H	214,88	180,57
549	LL1623-160mA	218-218-69	5k6, 3k, 1k6, giving 13, 25, 50Watt.	160mA	18H	214,88	180,57
550	LL1679-70mA	218-112-67	9k7, 4k5, 2k6, giving 9, 20, 36Watt. With ultra lin option	70mA	40H	216,22	181,70
551	LL1620-040mA	218-113-97	11k5, 6k, 3k3, giving 13, 25, 50Watt.	40mA	90H	214,88	180,57
552	LL1620-060mA	218-114-48	11k5, 6k, 3k3, giving 13, 25, 50Watt.	60mA	60H	214,88	180,57
553	LL1620-080mA	218-115-87	11k5, 6k, 3k3, giving 13, 25, 50Watt.	80mA	45H	214,88	180,57
554	LL1620-100mA	218-188-93	11k5, 6k, 3k3, giving 13, 25, 50Watt.	100mA	36H	214,88	180,57
555	LL1688-70mA (BIG CORE)	218-116-96	20k5, 9k2, 5k5, giving 15, 30, 60Watt.	70mA	70H	322,11	270,68
556	LL9202-50mA	218-117-98	23k, 11k, 6k5, giving 13, 25, 50Watt.	50mA	100J	214,88	180,57
557	LL9202-85mA	218-118-39	23k, 11k, 6k5, giving 13, 25, 50Watt.	85mA	57H	214,88	180,57
558						Europe, incl. 19%	Export
						MwSt. (VAT)	Price
559	LUNDAHL (Part19) SE /	Order Nr.	SINGLE ENDED Multi Impedance			Euro	Euro
560	LL1627-AM-090mA	218-119-92	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	90mA	18H	376,06	316,02
560	LL1627-AM-120mA	218-246-40	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	120mA	14H	376,06	316,02
561	LL1627-AM-140mA	218-120-71	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	140mA	12H	376,06	316,02
562	LL1627-AM-185mA	218-121-27	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	185mA	9H	376,06	316,02
563	LL1623-AM-060mA	218-122-34	5k6, 3k, 1k6, giving 13, 25, 50Watt.	60mA	46H	376,06	316,02
564	LL1623-AM-090mA	218-123-96	5k6, 3k, 1k6, giving 13, 25, 50Watt.	90mA	30H	376,06	316,02
565	LL1623-AM-120mA	218-124-09	5k6, 3k, 1k6, giving 13, 25, 50Watt.	140mA	23H	376,06	316,02
566	LL1679-AM-70mA	218-125-84	9k7, 4k5, 2k6, giving 9, 20, 36Watt. With ultra lin option	70mA	40H	377,29	317,05
567	LL1620-AM-40mA	218-126-88	11k5, 6k, 3k3, giving 13, 25, 50Watt.	40mA	90H	376,06	316,02
568	LL1620-AM-60mA	218-127-09	11k5, 6k, 3k3, giving 13, 25, 50Watt.	60mA	60H	376,06	316,02
569	LL1620-AM-80mA	218-128-09	11k5, 6k, 3k3, giving 13, 25, 50Watt.	80mA	45H	376,06	316,02
570	LL1620-AM-100mA	218-219-76	11k5, 6k, 3k3, giving 13, 25, 50Watt.	100mA	36H	376,06	316,02
571	LL9202-AM-50mA	218-129-33	23k, 11k, 6k5, giving 13, 25, 50Watt.	50mA	100J	376,06	316,02
572	LL9202-AM-85mA	218-130-09	23k, 11k, 6k5, giving 13, 25, 50Watt.	85mA	57H	376,06	316,02
573							
574	LUNDAHL (Part20) SE / IRON	Order Nr.	SINGLE ENDED Single Impedance			Euro	Euro
575	LL1663-050mA	218-131-76	5k to 8 Ohm, 8Watt.	50mA	35H	133,47	112,16
576	LL1663-080mA	218-211-76	5k to 8 Ohm, 8Watt.	80mA	22H	133,47	112,16
577	LL1663-100mA	218-132-92	5k to 8 Ohm, 8Watt.	100mA	17H	133,47	112,16
578	LL1664-050mA	218-133-34	3k to 8 Ohm, 10Watt.	50mA	35H	133,47	112,16
579	LL1664-060mA	218-134-09	3k to 8 Ohm, 10Watt.	60mA	29H	133,47	112,16
580	LL1664-080mA	218-135-90	3k to 8 Ohm, 10Watt.	80mA	22H	133,47	112,16
581	LL1664-100mA	218-136-68	3k to 8 Ohm, 10Watt.	100mA	17H	133,47	112,16
582	LL1682-050mA	218-137-48	5k to 5 Ohm, 8Watt.	50mA	35H	133,47	112,16
583	LL1682-100mA	218-138-90	5k to 5 Ohm, 8Watt.	100mA	17H	133,47	112,16
584	LL1691-70mA (BIG CORE)	218-185-87	9k to 8 Ohm, 30Watt. For 845, GM70	70mA	40H	322,11	270,68
585	LL2735B-25mA	218-142-97	16k to 5 Ohm, 5Watt. For EML20A Tube. NEW!	25mA	108H	133,47	112,16

586	LL2735B-42mA	218-143-29	16k to 5 Ohm, 5Watt. For EML20B Tube. NEW!	42mA	72H	133,47	112,16
587							
588	LUNDAHL (Part21) SE /	Order Nr.	SINGLE ENDED Single Impedance			Euro	Euro
589	LL2735B-AM-25mA	218-249-58	16k to 5 Ohm, 5Watt. For EML20A Tube. NEW!	25mA	108H	294,39	247,39
590	LL2735B-AM-42mA	218-250-49	16k to 5 Ohm, 5Watt. For EML20B Tube. NEW!	42mA	72H	294,39	247,39
591							
592	LUNDAHL (Part22)	Order Nr.	MAINS TRANSFORMERS with DC CANCELLATION			Euro	Euro
593	LL1683	218-139-50	2x 250V-80mA, 48V-100mA, 2x 5.2V-3A, 2x 6.6V-3A	Primary:	115/230	169,98	142,84
594	LL1669A	218-140-63	340V-550mA, 110V-40mA, 4x 6,3V / each 3.1 Amp.	Primary:	115/230	180,52	151,70
595	LL1648	218-141-89	350V-630mA, 2x 5.9V, 2x 6.6V / each 3.1 Amp.	Primary:	115/230	169,98	142,84
596	LL1649	218-142-97	230V-1A or 460V-500mA. 4x: 6.6V / each 3.1 Amp.	Primary:	115/230	169,98	142,84
597	LL1650	218-143-29	350V-630mA, 4x 6.6V / each 3.1 Amp.	Primary:	115/230	169,98	142,84
598	LL1651	218-144-93	500V-430mA, 4x 6.6V / each 3.1 Amp.	Primary:	115/230	169,98	142,84
599						Europe, incl. 19% MwSt. (VAT)	Export Price
600	LUNDAHL (Part23)	Order Nr.	MAINS CLEANING TRANSFORMERS with DC CANCELLATION			Euro	Euro
601	LL1655	218-145-71	Mains cleaning transformer, with airgap core.	300VA	1:1 or 1:2	149,56	125,68
602	LL1662	218-176-94	Like LL1655, but with step up/down option (5V) 10V (20V)	300VA	1:1 or 1:2	169,98	142,84
603							
604	LUNDAHL (Part24)	Order Nr.	Transformer Covers			Euro	Euro
605	Transformer Cover #2	#VALUE!	For Transformers of xxkg. All Screws included.			49,54	41,63
606							
607	LUNDAHL (Part25)	Order Nr.	Various Types Alphabetically sorted			Euro	Euro
608	LL1518	218-147-86				61,94	52,05
609	LL1550	218-149-59				77,08	64,77
610	LL1555	218-150-85				50,58	42,50
611	LL1560	218-151-96				71,94	60,45
612	LL1571	218-152-18				67,47	56,70
613	LL1577	218-157-99				67,47	56,70
614	LL1582	218-162-39				65,32	54,89
615	LL1583	218-163-91				65,72	55,23
616	LL1587	218-164-62				54,91	46,14
617	LL1590	218-242-62				125,35	105,34
618	LL1591	218-201-91				35,70	30,00
619	LL1665	218-166-42				169,98	142,84
620	LL1684	218-167-86				112,37	94,43
621	LL1691B	218-243-99				330,63	277,84
622	LL1930	218-206-39				60,58	50,91
623	LL1936	218-244-67				86,68	72,84
624	LL2231	218-207-91				39,08	32,84
625	LL2734	218-247-24				92,36	77,61
626	LL2736	218-250-49				230,29	193,52
627	LL2737	218-251-91				148,75	125,00
628	LL2738	218-252-64				169,98	142,84
629	LL2811	218-208-63				54,36	45,68
630	LL2912C	218-253-76				81,54	68,52
631	LL2913C	218-255-66				81,54	68,52
632	LL2914	218-210-50				59,10	49,66
633	LL2915	218-254-59				62,20	52,27
634	LL6404	218-168-09				52,60	44,20
635	LL6702	218-169-84				46,11	38,75
636	LL7101	218-170-80				52,06	43,75
637	LL7401	218-171-09				55,17	46,36
638						Europe, incl. 19% MwSt. (VAT)	Export Price
639	Accesories	Order Nr.				Euro	Euro
640	Attenuator, Mono. 1x10k 23 steps.	399-108-69	1x 10k log. Make before brake contacts. Vishay Ceramic resistors. (TNPW-E3 Precision)			42,78	35,95
641	Attenuator, Stereo. 2x47k 23 steps.	399-124-39	2x 47k log. Make before brake contacts. Vishay Ceramic resistors. (TNPW-E3 Precision)			53,48	44,94

Duende Criatura



TUBE RINGS

642						Europe, incl. 19% MwSt. (VAT)	Export Price
643		Order Nr.	BY DUENDE CRIATURA, HOLLAND	Metric	INCH	Euro	Euro
644	Duende Ring #1	318-036-09	For: 6021W, 6111WA	9-10mm	0.35... 0.39	16,00	13,45
645	Duende Ring #2	318-037-43	For: 6AU6	17,5-19mm	0.69...0.71	16,00	13,45
646	Duende Ring #3	318-038-04	For: ECC83, EL84	19,5-22mm	0.77...0.87	16,00	13,45
647	Duende Ring #4	318-039-39	For: 6SN7	26-29mm	1.02...1.14	18,00	15,13
648	Duende Ring #5	318-040-76	For: EL34, 5AR4, 6SN7	27,7-32mm	1.09...1.26	22,50	18,91
649	Duende Ring #6	318-041-99	For: EL34 big glass, 6L6 small glass	32..36mm	1.26...1.54	24,50	20,59
650	Duende Ring #7	318-042-26	For: 6080, KT90, 6L6GC, 300B	36-39mm	1.41...1.54	26,50	22,27
651	Duende Ring #8	318-043-64	For: 2A3, 300B	38-42mm	1.54...1.65	27,50	23,11

652	Duende Ring #9	318-044-81	For: 6550, KT88. (With all EML tubes, these fit on bottom part)	43-47mm	1.69...1.89	27,50	23,11
653	Duende Ring #10	318-045-09	For: 6C33, etc	50-54mm	1.97...2,1	30,00	25,21
654	Duende Ring #11	318-046-58	For: 211, VT4C, 845, 813	53-58mm	2.09...2.28	33,00	27,73
655	Duende Ring #12	318-047-91	For: Fullmusic Aubergine 300B	63-68mm	2,5...2,68	33,00	27,73
656							



Europe, incl. 19%
MwSt. (VAT) Export
Price

Order Nr.	Finest connectors from Japan	Euro	Euro		
658	FI-E11-Gold. Furutech	319-001-58	Furutech. European Plug.	46,20	38,82
659	FI-E11-Copper. Furutech	319-002-90	Furutech. European Plug.	34,79	29,23
661	FI-E35-Gold. Furutech	319-003-52	European Plug, with earth jumper	74,28	62,42
662	FI-E35-Rhodium. Furutech	319-004-82	Furutech. European Plug, with earth jumper	88,78	74,60
663	FI-11-Gold. Furutech	319-005-87	Furutech. IEC connector (plug into equipment)	45,66	38,37
664	FI-25-Gold. Furutech	319-006-77	Furutech. IEC connector, with earth jumper. (plugs into equipment)	74,28	62,42
665	FI-25-Rhodium. Furutech	319-007-29	Furutech. IEC connector, with earth jumper. (plugs into equipment)	88,78	74,60
666	Inlet-Gold. Furutech	319-008-93	Furutech. Chassis inlet, Gold Plated	8,05	6,77
667	Inlet-Rhodium. Furutech	319-009-73	Furutech. Chassis inlet, Rhodium Plated	12,08	10,15
668	FP-162-Gold-Red. Furutech (one pcs)	319-010-19	Furutech. RCA plug. Gold/Teflon. Soldered inside. Red color code.	5,04	4,23
669	FP-162-Gold-White. Furutech (one pcs)	319-011-93	Furutech. RCA plug. Gold/Teflon. Soldered inside. White color code.	5,04	4,23
670	FP-126-Gold-Red. Furutech (one pcs)	319-012-55	Furutech. RCA plug. Gold/Teflon. Screwed inside. Red color code	9,06	7,61
671	FP-126-Gold-White. Furutech (one pcs)	319-013-29	Furutech. RCA plug. Gold/Teflon. Screwed inside. White color code	9,06	7,61
672	FP-202-Gold-Red. Furutech (one pcs)	319-015-99	Furutech. Speaker Banana plug, Locking type. Red color code	15,10	12,69
673	FP-202-Gold-White. Furutech (one pcs)	319-016-18	Furutech. Speaker Banana plug, Locking type. White color code	15,10	12,69
674	FP-201-Gold. Furutech (one pcs)	319-017-37	Furutech. Speaker Spades. (Forks)	11,58	9,73
675					



Europe, incl. 19%
MwSt. (VAT) Export
Price

Tools, Parts, Chemicals	Order Nr.	Euro	Euro		
677					
678	Silver-Gold solder. Mundorf 100gramm	611-001-87	Mundorf, Sn95,5Cu0,7Ag3,8Au. Melting point 217°C. Contains Flux.	39,76	33,41
679	Silver-Gold solder. Mundorf SUPREME	611-003-09	Mundorf Sn88,6Cu1,8Ag9,5Au0,1 Melting point 290°C. Contains Flux.	74,65	62,73
680	Silver Flux nr1	611-006-77	Finest liquid flux, for silver and normal solder. In 10ml glass bottle with brush. (Price per ml 0,60€)	7,14	6,00
681	Tube Base Glue nr1	611-007-91	Heat resistant, tube base repair glue. No removing of the socket needed. 10ml Bottle with brush, for appr 40 tubes. (Price per ml 0,85€). Full description click: Website Menu #3, then item #8.	10,12	8,50
682	Tube Base Glue nr2	611-008-33	Heat resistant, original glue. With or without removing of the socket. 10ml Bottle with brush, for appr 20 tubes. (Price per ml 0,85€). Full description click: Website Menu #3, then item #8.	10,12	8,50
683	Azimet Tool	620-005-73	For re-adjustung Azimet of Yamamoto headshells, if needed.	1,19	1,00
684	Desolder Iron	624-001-85	230Volt/ 40Watt. Great product. Needs no cleaning! Old Stock, as long as it lasts!	14,28	12,00
685	Wire Cutter (Side Cutter)	624-006-76	Side Cutter for Wires of Capacitors, Cables, etc.	3,57	3,00
686	Tube Set for calibration.	624-014-55	Calibrated tubes: 6L6, 6SN7, 6922(=ECC88). One of each. Calibrate or test your tube tester!	221,31	185,98
687	Bias King Pro. Digital Tube tester.	624-015-39	See tube testers collection on www.jacmusic.com for manual. Year 2004 stock.	298,02	250,44
688	Cable Binder (50 pcs)	699-003-90	Black cable binder. Lenth: 10cm, width 2,3mm, bag of 50pcs.	1,19	1,00
689	Pin Straightener	699-004-33	For tubes like ECC83, 12AT7, etc. Original NOS Mullard tool. Limited stock.	11,60	10,00
690					

Europe, incl. 19%
MwSt. (VAT) Export
Price

Tube Boxes	White, with spacer inside. Are send folded, low shipping costs.	Euro	Euro		
692					
693	EL84, ECC83 Tube boxes 10pcs	610-010-28	Price for pack of 10 pcs. Very high quality boxes.	3,64	3,06
694	6SN7 Tube boxes 10pcs.	610-011-91	Price for pack of 10 pcs. Very high quality boxes. 100x35x35mm	4,49	3,77
695	EL34 Tube boxes 10pcs	610-014-90	Price for pack of 10 pcs. Very high quality boxes.	5,89	4,95
696	5U4G Tube boxes 10pcs	610-012-58	Price for pack of 10 pcs	8,69	7,30
697					

German Text
Deutscher Text

Lieber Kunde, wir dürfen die von Yamamoto fertig aufgebaute Elektro-Geräte nicht nach Deutschland liefern, oder sonstige Länder wofür das Deutsche Elektro- und Elektronikgerätegesetz Gültigkeit hat. Bedanken Sie sich bei den Grünen! Wir dürfen nach Deutschland nur Bausätze und Bauteile liefern. Wir bitten um Ihr Verständnis.



Europe, incl. 19%
MwSt. (VAT) Export
Price

YAMAMOTO (1)	Order Nr.	HIFI EQUIPMENT and DIY Kits from Japan	Euro	Euro	
700					
701	A06-3. Yamamoto	520-007-94	AD1. Stereo tube amplifier. Price is without output tubes.	5254,35	4415,42
702	A08-205D. Yamamoto	520-011-04	205D. Stereo tube amplifier, AC heated. Price is without 205D tubes.	3777,16	3174,08
703	A08-S. Yamamoto	520-009-19	45. Stereo tube amplifier, DC heated, Amp Meter. Price includes all tubes.	3777,16	3174,08
704	A08-S-Kit. Yamamoto	420-008-15	A08-S Amplifier, kit version	2931,48	2463,43
704	A09. Yamamoto	520-013-76	300B. Stereo tube amplifier. DC heated. Price is without 300B tubes.	5235,74	4399,78
705	A09-kit. Yamamoto	420-012-09	300B. Kit Version, DC heated. Price is without 300B tubes.	5100,33	4285,99

706	A09-S. Yamamoto	520-032-85	300B. Stereo tube amplifier. DC heated. Price is without 300B tubes.	9614,53	8079,44
707	A11. Yamamoto, with 2A3 RCA	520-027-77	2A3. Stereo tube amplifier, DC heated, Amp Meter. With 2A3 by RCA	5518,13	4637,08
708	A11. Yamamoto, without 2A3 tubes	520-035-73	2A3. Stereo tube amplifier, DC heated, Amp Meter. Without 2A3 tubes.	4726,78	3972,08
709	Tweak #1 for amplifier	520-015-26	Dual Rectifier option. Only for A08 and A11.	119,00	100,00
710	Tweak #2 for amplifier	520-016-74	Adapting the A06-3 A08S, A11 for Avantgarde, or other horns.	487,90	410,00
711	Optional 16 Ohms output	520-048-64	Amplifier is factory delivered with 16Ohms outputs. For A06-3, A08, A09, A11.	395,68	332,50
712	HA-02. Head Phone amplifier Yamamoto	520-001-91	Vacuum Tube Head Phone amplifier, with Western Electric 408A tubes	1300,30	1092,69
713	CA-03. Yamamoto	520-004-66	All Telefunken Tube Pre-amp with MM / MC Input and Stepper Attenuator .	7742,83	6506,58
714	CA-03L. Yamamoto	520-005-46	All Telefunken Tube Pre-amp with MM / MC Input.	5738,08	4821,92
715	CA-04. Yamamoto	520-006-19	All Telefunken Tube Pre-amp.	3100,25	2605,25
716	EQB-01. Yamamoto	520-003-95	All Telefunken Tube Phono Equalizer. MM / MC Input.	4419,16	3713,58
717	YDA-01-kit. Yamamoto	420-033-84	Kit Version. Digital to Analog Converter for CD players. Coaxial input.	2368,64	1990,45
718	YDA-01. Yamamoto	520-033-84	Digital to Analog Converter for CD players. Coaxial input.	2616,08	2198,39
719	AL-2, Record Arm lift. Yamamoto	420-024-69	Smooth movement, with hydraulic control (oil pressure) arm lift. Made of Ceramic parts and Ebony wood. Prestine quality product.	191,81	161,19
720	RS-1, Record Clamp. Yamamoto	420-023-90	Silver plated bronze, all non magnetic. Special inner shape.	159,84	134,32
721	HS-1A, Ebony Wood. Yamamoto	420-001-99	Ebony wood head shell. 18x18x50 mm, 10.4 gram. Gold plated bronze accesories. Connections cables, with gold plated contacts included.	103,90	87,31
722	HS-1A-s with upgrade Cables. Yamamoto	420-002-17	Special version HS-1A with fixed mounted YR-01 wires to the headshell. The YR-01 wire set is made of special materials. (Check under YR-01, some lines below)	139,54	117,26
723	HS-2, Cherry Wood. Yamamoto	420-003-39	Asada treated Cherry wood, head shell. 18x18x50 mm, 10.4 gram. Gold plated bronze accesories. Connections cables, with gold plated contacts included.	92,61	77,82
724	HS-3, Box Wood. Yamamoto	420-018-33	From NOS Box wood, head shell. 18x18x50 mm, 8.2 gram. Gold plated bronze accesories. Connections cables, with gold plated contacts included. (What is boxwood? See: www.boxwood.org)	98,95	83,15
725	BT-1 Screw Set. Yamamoto	320-064-91	Titanium screw set 2.6mm for Headshells, various lengths included.	42,63	35,82
726	HS Azimut Tool. Yamamoto	620-005-73	For re-adjustung Azimut of Yamamoto headshells, if needed.	1,19	1,00
727	SUT-01. Yamamoto	520-002-66	Dual impedance, Moving Coil transformer. (Stereo)	1739,82	1462,03
728	SUT-02. Yamamoto	520-021-55	Solid Aluminium block, Mono Moving Coil transformer. 1:20 Step up. This is one channel, so you need two of those for stereo.	724,92	609,18
729	YC-03M. Yamamoto	420-020-90	Moving Coil cartridge, Box wood. Round Needle. "M" for mono version	1255,38	1054,94
730	YC-03S. Yamamoto	420-019-80	Moving Coil cartridge, Ebony wood, Line Contact Needle. "S" for Stereo Version	1255,38	1054,94
731	YR-01 Upgrade cables.	320-005-97	Upgrade 4x cable set for head shell. 6N Copper / Soft Teflon Litz and 24k gold plated bronze contacts. 6N meaning 6x Nine, like 99,9999% purity. Recommended upgrade for any headshell.	44,15	37,10
732	NOS Tube (one) 408A, GE	114-056-48	One 408A tube, General Electric NOS. Amplifier spare part. Recommended to try out another sound.	8,33	7,00
733	NOS Tube (one) 408A, WE	114-057-90	One 408A tube, Western Electric NOS. Amplifier spare part. Test data is added with each tube.	23,21	19,50
734	NOS Tubes (PAIR) 717A, WE / Ray.	114-054-90	MATCHED Pair of 717A NOS tubes. Original Western Electric boxes, dated 1943. On tube glas is written: Western Electric and Raytheon. Amplifier spare part. Most boxes bad condition, but tubes inside are clean like new. Computer matched with Amplitrex tester, full report added.	89,25	75,00
735	Used Tubes (PAIR) 717A, WE / TS.	114-097-90	MATCHED Pair of 717A used tubes, Western Electric. On tubes is written: Western Electric and Tung-Sol. Amplifier spare part. Computer matched with Amplitrex tester, full report added. Quality like NOS tubes.	77,35	65,00
736	Tube (pair) 45, Tung Sol	114-061-26	Pair of 45 tubes. Tung-Sol brand.	599,40	503,70
737	Rack OS-CAS	520-030-25	4x Rolling feet, for Audio Rack. For this price, you get four pcs.	182,63	153,47
738	Rack OSW-92	520-046-67	Audio Rack, SW-92 (the shelf board 4 sheets/the height 92 cm the type)	2443,14	2053,06
739	DK-25, Yamamoto	420-009-09	Speaker stands for YS-604. Price for one set, for one speaker cabinett	1026,79	862,85
740	SS-300 Yamamoto Wideband Horn	520-040-32	Yamamoto. 2" Wideband Horn Assembly. 620(W) x280(H) x430 (D). Crossover @ 500Hz	3954,82	3323,38
741	SS-500 Yamamoto Wideband Horn	520-041-62	Yamamoto. 1" Wideband Horn Assembly. 316(W) x200(H) x260 (D). Crossover @ 800Hz	1580,77	1328,38
742	YS-604. Yamamoto	520-014-90	High Efficiency Loudspeaker, 99dB. Altec Lansing Chassis. Price for one piece.	8258,78	6940,15
743	YS-604-Kit. Yamamoto	520-028-68	High Efficiency Loudspeaker, 99dB. Altec Lansing Chassis. Price for one piece. Kit Version.	6289,38	5285,19
744	YS-500. Yamamoto	520-037-59	High Efficiency Loudspeaker, 98dB. (Price for a PAIR)	13846,09	11635,37
745	YS-500-Kit. Yamamoto	520-036-53	High Efficiency Loudspeaker, 98dB. Price for one piece. Kit Version.	6923,04	5817,68



YAMAMOTO SOUND CRAFT CORP.

山本音響工芸株式会社

Europe, incl. 19%
MwSt. (VAT) Export
Price

747	YAMAMOTO (2)	Order Nr.	HIGH Precision, Machined Sockets. Adjustable contact force.	Euro	Euro
748	4Pin-Yamamoto-UX4-Gold	320-018-29	Gold plated Bronze /Teflon. For: 300B.		43,17
749	4Pin-Yamamoto-UX4-Silver	320-019-67	Silver plated Bronze /Teflon. For: 300B.		26,86
750	4Pin-Yamamoto-UV4-Gold	320-020-99	Gold plated Bronze /Teflon. For: WE102, WE205.	63,94	53,73
751	4Pin-Yamamoto-UV4-Silver	320-021-48	Silver plated Bronze /Teflon. For: WE102, WE205.	31,96	26,86
752	4Pin-Yamamoto-316A-4P-Gold	320-069-39	Gold plated Bronze /Teflon. For: WE316A, 388A, etc	57,08	47,97
753	4Pin-Yamamoto-703A-4P	320-075-19	Nickel Contacts /Teflon. For: WE316A, 388A, etc	45,67	38,38
754	4Pin-Yamamoto-Jumbo-Gold	320-022-96	Gold plated Bronze /Teflon. For: 211, 845.	79,92	67,16
755	2x4-Yamamoto-Pin-Gold-UX4-UV4	320-023-94	Gold plated Bronze /Teflon. UX4 and UV4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used.	68,51	57,57
756	2x4-Yamamoto-Pin-Gold-UX4-B4	320-024-88	Gold plated Bronze /Teflon. UX4 and B4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used.	68,51	57,57
757	2x4-Yamamoto-Pin-Gold-UX4-UX4	320-063-67	Gold plated Bronze /Teflon. two UX4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used.	68,51	57,57

758	4/5 Pin-Yamamoto-B4/5-Gold	320-025-39	Gold plated Bronze /Teflon. For: PX25, RGN1064.	Wiring + PCB	51,37	43,17
759	5Pin-Yamamoto-UX5-Gold	320-026-91	Gold plated Bronze /Teflon. For: 807, 227.	Wiring + PCB	57,08	47,97
760	5Pin-Yamamoto-Post-Gold	320-027-62	Gold plated Bronze / COMPLITE. For: Ba, Ca.	Wiring + PCB	45,67	38,38
761	6Pin-Yamamoto-UX6-Gold	320-028-37	Gold plated Bronze /Teflon. For: 310A.	Wiring + PCB	57,08	47,97
762	7Pin-Yamamoto-Post-Gold	320-029-42	Gold plated Bronze / COMPLITE. For: Ed, Ec.	Wiring + PCB	45,67	38,38
763	7Pin-Yamamoto-miniature-Gold	320-030-86	Gold plated Bronze /Teflon. For: 6C4, 6AU6.	Wiring + PCB	54,80	46,05
764	7/4Pin-Yamamoto-GM70	320-032-84	Gold plated Bronze /Teflon. For: GM70.	Wiring + PCB	91,33	76,75
765	8Pin-Yamamoto-Octal-Gold	320-033-80	Gold plated Bronze /Teflon. For: KT88, EL34.	Wiring + PCB	63,94	53,73
766	8Pin-Yamamoto-Octal-Silver	320-034-09	Silver plated Bronze /Teflon. For: KT88, EL34.	Wiring + PCB	43,39	36,46
767	8Pin-Yamamoto-Octal-Silver	320-034-09	Silver plated Bronze /Teflon. For: KT88, EL34.	Wiring + PCB	43,39	36,46
768	8/5Pin-Yamamoto-Octal-Gold	320-035-17	Gold plated Bronze /Teflon. For: 5U4G, 274B, GZ34	Wiring + PCB	51,37	43,17
769	8Pin-Yamamoto-Loctal-Gold	320-036-23	Gold plated Bronze /Teflon. For: C3g, C3m.	Wiring + PCB	68,51	57,57
770	8Pin-Yamamoto-P8/Au8-Gold	320-037-89	Gold plated Bronze / CERAMIC. For: AZ1, AD1.	Wiring ONLY	31,96	26,86
771	9Pin-Yamamoto-Noval-Wired-Gold	320-038-76	Gold plated Bronze /Teflon. For: ECC83, EL84.	Wiring + PCB	68,51	57,57
772	9Pin-Yamamoto-Noval-PCB-Gold	320-039-94	Gold plated Bronze /Teflon. For: ECC83, EL84.	PCB ONLY	68,51	57,57
773	9Pin-Yamamoto-Magnoval-Gold	320-040-34	Gold plated Bronze /Teflon. For: EL519, WE418A, WE436A, WE437A, 6D22S	Wiring + PCB	68,51	57,57
774	9Pin-Yamamoto-F2a German Post	320-082-76	Gold plated Bronze /Teflon. For: F2a German post	Wiring + PCB	77,64	65,24
775	10Pin-Yamamoto-EL156	320-041-28	Gold plated Bronze /Teflon. For: EL156.	Wiring + PCB	77,64	65,24
776	Yamamoto Plate Cap 6mm.	320-070-91	Gold plated Bronze /Teflon.		21,12	17,75
777	Yamamoto Plate Cap 9mm.	320-071-63	Gold plated Bronze /Teflon.		25,12	21,11
778	19mm Adapter for Noval Sockets	320-073-50	This base plate allows to mount the 19mm hole Yamamoto noval socket. 1) in any hole for an octal socket with 38mm screw distance. 2) In the hole for the Chinese noval socket (with 28mm screw distance)		22,84	19,19
779	30mm Air Ventilation adapter. Yamamoto	320-074-76	For most Yam. Sockets, Octal, UX4, and others. Made from treated black wood. Improved air flow around tube. Also for beautiful way of socket mounting. All high quality screws included, also to mount socket to Air Vent. Adapter. Finest Quality		22,84	19,19
780	35mm Air Ventilation adapter. Yamamoto	320-080-13	For most larger type Yam. Sockets, like EL156 Sockets.		22,84	19,19

Europe, incl. 19%
MwSt. (VAT) **Export Price**

782	YAMAMOTO (3)	Order Nr.	Vintage Solder Strip + RCA Jacks + Speaker Terminals	Euro	Euro
783	3Pin Solderstrip. 1L3P-COMP. Yamamoto	320-043-58	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	5,14	4,32
784	5Pin Solderstrip. 1L5P-COMP. Yamamoto	320-044-58	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	6,28	5,28
785	10Pin Solderstrip. 2L10P-COMP. Yamamoto	320-045-90	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 10x Round contacts (just as with vintage radios) One mounting hole at each end. (total =two mounting holes)	10,27	8,63
786	5Pin Solderstrip. 1L5P-TEF. Yamamoto	320-046-51	GOLD / TEFLON. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	10,27	8,63
787	5Pin Solderstrip. 2L5P-TEF. Yamamoto	320-047-82	GOLD / TEFLON. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) One mounting hole at each end. (total =two mounting holes)	10,27	8,63
788	ST-12-II. Speaker Terminal. 2pcs. Yamamoto	320-048-87	GOLD over SILVER plated. Solid copper. "Fine" thread. For amplifier chassis, with 10mm hole. Outside Diameter 20mm. Total length 50mm. Five color rings included. Price for a PAIR.	66,22	55,65
789	ST-30-II. Speaker Terminal. 2pcs. Yamamoto	320-049-87	GOLD over SILVER plated. Solid copper. "Fine" thread. For speaker box, with 10mm hole. Outside Diameter 20mm. Total length 70mm. Five color rings included. Price for a PAIR.	66,22	55,65
790	Cinch /RCA Input, 1pc. Yamamoto	320-050-29	GOLD / TEFLON. Very high contact quality, Audio input connector. Chassis part, with separate ground connection. Color rings included. (red, white, grey, olive-green)	25,12	21,11

Europe, incl. 19%
MwSt. (VAT) **Export Price**

792	YAMAMOTO (4)	Order Nr.	Accessories	Euro	Euro
793	MGB1. Equipment Stands. 1pc. Yamamoto	320-051-93	Without any mechanical contact! Equipment floats on circular Neodeme magnets. Carries 2....10kg /One. Ebony Wood + Teflon + Neodeme circular magnets. Price for one.	130,16	109,38
794	MGB2. Equipment Stands. 1pc. Yamamoto	320-072-56	Without any mechanical contact! Equipment floats on circular Neodeme magnets. Carries 0,9 ...3kg /One. Ebony Wood + Teflon + Neodeme circular magnets. Price for one.	95,90	80,59
795	PB09. Equipment Stands. 4pcs. Yamamoto	320-052-72	Black African Ebony wood. Pack of 4pcs. Parts (male) for equipment. 32 x 19mm	47,96	40,30
796	PB10. Equipment Stands. 4pcs. Yamamoto	320-053-09	Black African Ebony wood. Pack of 4pcs. Parts (female) to stand on. 32 x 12mm	41,10	34,54
797	PB18. Equipment Stands. 4pcs. Yamamoto	320-083-95	Black African Ebony wood. Pack of 4pcs. Large receptacles for spikes.	116,45	97,86
798	PB20. Equipment Stands. 4pcs. Yamamoto	320-054-94	Black African Ebony wood. Pack of 4pcs. Parts (male) for equipment. 41 x 21mm	68,51	57,57
799	PB21. Equipment Stands. 4pcs. Yamamoto	320-055-55	Black African Ebony wood. Pack of 4pcs. Parts (female) to stand on. 41 x 14mm	61,65	51,81
800	PB22. Equipment Stands. 4pcs. Yamamoto	320-056-39	Striped South Asian Ebony wood. Pack of 4pcs.	13,70	11,51
801	PB23. Spike Receptacles of Ebony. . 4pcs. Yamamoto	320-079-26	Black African Ebony wood. Pack of 4pcs . 20 x 59mm	123,31	103,62
802	VB-18. Equipment Stands. Complete set. Yamamoto	320-077-81	V-Grooved Equipment base. Package with 2 pcs femala and 2pcs Mail .Outside dimension in milimeters: 25(W)x27(H)x180(D)	79,47	66,78
803	VB-25. Equipment Stands. Complete set. Yamamoto	320-078-09	V-Grooved Equipment base. Package with 2 pcs femala and 2pcs Mail. Outside dimension in milimeters: 35(W) x33(H) x250 (D)	164,41	138,16
804	Noval Shield Cap. Yamamoto	320-081-69	Gold / Solid 3mm Bronze. With gold screws. For 9-pin tubes like ECC81, 82, 83, 88, etc.	51,37	43,17
805	Round Meter. "VU". Yamamoto	320-068-68	VU meter. Sensitivity: 1.228V = 0dB . Internal Resistance = 26k.	91,33	76,75
806	300-0-300. Round Meter. Yamamoto	320-057-85	Balanced Meter. 300-0-300. The needle is in the middle. Full scale is +/-300mV.	91,33	76,75

807	050mA Round Meter.Yamamoto	320-058-98	Intelligent connection method. Series resistor = 50x Cathode Resistor	91,33	76,75
808	100mA Round Meter.Yamamoto	320-059-18	Intelligent connection method. Series resistor = 100x Cathode Resistor	91,33	76,75
809	150mA Round Meter.Yamamoto	320-060-37	Intelligent connection method. Series resistor = 150x Cathode Resistor	91,33	76,75
810	300mA Round Meter.Yamamoto	320-066-15	Intelligent connection method. Series resistor = 300x Cathode Resistor	91,33	76,75
811	Round Meter Flange. Yamamoto	320-061-62	Is also mounting Hardware. With screws from inside.	20,55	17,27

812



**Europe, incl. 19%
MwSt. (VAT)**

Euro

**Export
Price
Euro**

	Tube Sockets	Order Nr.		Euro	Euro
814	4Pin-UX4-Large. UX4 Ceramic	399-064-59	UX4. Large Size. Solder lugs with double holes + extra space for large components. For 300B,	1,79	1,50
815	4Pin-UX4-Large. Ceramic. Gold.	399-065-69	UX4. Large Size. Solder lugs with double holes + extra space for large components. For 300B,	2,50	2,10
816	4Pin UX4-Classic. Ceramic. Gold.	399-066-84	UX4. Classic design, Gold plated. For 300B, 2A3, 83, etc	2,29	1,93
817	4-5Pin /Eu. Ceramic.	399-069-93	B4/B5 Socket for RGN1064, PX25, etc. Ceramic flange.	2,26	1,90
818	4-5Pin /Eu. Ceramic. Gold.	399-070-27	B4/B5 Socket for RGN1064, PX25, etc. Ceramic flange. GOLD plated.	2,86	2,40
819	5Pin-Post. Ceramic. Gold.	399-072-81	5 Pin German Post Socket. GOLD plated.	4,76	4,00
820	7Pin-PCB-HQ. Ceramic	399-075-95	High Quality Version, for Printed Circuit Board. For 6AU6, 6AQ5, etc.	1,31	1,10
821	7Pin-Post. Ceramic. Silver	399-073-69	7 Pin German Post Socket.	5,36	4,50
822	7Pin-Post. Ceramic. Gold	399-074-58	7 Pin German Post Socket. GOLD plated.	7,02	5,90
823	7Pin-Wired-HQ. Ceramic. Gold	399-076-47	High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For 6AU6, 6AQ5, etc.	2,26	1,90
824	7Pin (6C33). Ceramic. Gold	399-112-85	Very beautiful glazed version. Gold plated contacts. Specially for 6C33, with additional steel clamps on the contacts, for higher contact force.	5,08	4,27
825	8Pin. Ceramic. For GU50	399-117-49	Ceramic Disc Socket. Strong version, specially for GU50, FU50, etc.	1,71	1,44
826	8Pin-Large. Ceramic. Gold.	399-080-39	Octal. Large Size. Solder lugs with double holes + extra space. For small octal base, EL,34, KT90, KT66. Will not fit wide base like KT88, 6550.	4,76	4,00
827	8Pin-Octal-Wired. Ceramic, Gold.	399-103-71	Loktal Socket. (Not octal!) Nice Gold plated Version, for free wiring. Tubes like C3g, C3m.	2,56	2,15
828	8Pin-Octal-Wired. NOS. Preh Company.	399-110-74	NOS Socket, LOCTAL. (Not octal!) Good old quality, made by Preh Germany, for German post. For Tubes like C3g, C3m.	13,09	11,00
829	8Pin-PCB. Ceramic. Berylium-Gold.	399-101-69	Octal Socket. Gold plated Berylium Cylinder contacts, Ceramic. Replaces classical Octal PCB China sockets.	4,87	4,09
830	8Pin-PCB. Teflon. Berylium-Gold.	399-097-90	Octal Socket. Gold plated Berylium Cylinder contacts, Molded Teflon. Replaces classical Octal PCB China sockets.	9,52	8,00
831	8Pin-PCB. Ceramic.	399-077-68	Octal. Standard Version for Printed Circuit Board. For KT88, EL34, etc	0,82	0,69
832	8Pin-Wired. Ceramic. Berylium-Gold.	399-102-43	Octal Socket. Gold plated Berylium Cylinder contacts, Ceramic. Replaces classical Octal Wired China sockets.	4,87	4,09
833	8Pin-Wired. Teflon. Berylium-Gold.	399-098-88	Octal Socket. Gold plated Berylium Cylinder contacts, Molded Teflon. Replaces classical Octal Wired China sockets.	9,52	8,00
834	8Pin-Wired-HQ. Gold. Ceramic.	399-078-98	Octal. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For KT88, EL34, etc. With fork contacts, for many plug-in / Pull out	2,15	1,80
835	8pin-Flying leads	319-062-62	NOS Teflon socket for flying leads, pencil tubes like 6021W, or any other with maximum 8 leads. Gold plated bronze. Top quality.	8,93	7,50
836	8Pin-P8/ AU8. NOS Bakelite.	399-093-77	NOS Bakelite socket, black color. For: AZ1, AD1, EL5, EL6, Etc. Very precise made.	10,71	9,00
837	9Pin-Magnoval-PCB. Ceramic	399-085-05	White Ceramic socket for PL504, etc. PCB Type.	1,84	1,54
838	9Pin-Magnoval-PCB. Gold. Ceramic	399-086-09	White Ceramic socket for PL504, etc. GOLD plated. PCB Type.	2,29	1,93
839	9Pin-Magnoval-Wired. Ceramic. Gold.	399-087-84	White Ceramic socket for PL504, etc. GOLD plated. For soldered wires.	2,29	1,93
840	9Pin-PCB. Ceramic.	399-081-92	Noval. Standard Ceramic socket, for Printed Circuit Board. For EL84, ECC81. etc	0,43	0,36
841	9Pin-PCB. Ceramic. Gold.	399-113-94	Noval. Gold, Standard Ceramic socket, for Printed Circuit Board. For EL84, ECC81. etc	1,31	1,10
842	9Pin-PCB-HQ. Ceramic.	399-082-79	Noval. High Quality Version, for Printed Circuit Board. For EL84, ECC81. etc	1,61	1,35
843	9Pin-PCB-HQ. Ceramic. Gold.	399-083-07	Noval. High Quality Version, gold plated, for Printed Circuit Board. For EL84, ECC81. etc	1,83	1,54
844	9Pin-PCB. Ceramic. Berylium-Gold.	399-099-48	Noval Socket. Gold plated Berylium Cylinder contacts, Ceramic Replaces classical 9Pin PCB China sockets.	4,38	3,68
845	9Pin-PCB. Teflon. Berylium-Gold.	399-095-33	Noval Socket. Gold plated Berylium Cylinder contacts, Molded Teflon. Replaces classical 9Pin PCB China sockets.	10,71	9,00
846	9Pin-Wired. Ceramic. Berylium-Gold.	399-100-90	Noval Socket. Gold plated Berylium Cylinder contacts, Ceramic Replaces classical 9Pin wired China sockets.	4,38	3,68
847	9Pin-Wired. Teflon. Berylium-Gold.	399-096-90	Noval Socket. Gold plated Berylium Cylinder contacts, Molded Teflon. Replaces classical 9Pin wired China sockets.	6,33	5,32
848	9Pin-Wired-HQ. Ceramic. Gold.	399-084-36	Noval. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For EL84, 12AX7, ECC81. Etc	2,26	1,90
849	10Pin-Wired Black material.	399-104-07	10 pins socket for tubes like EL152, AZ12, etc.	2,38	2,00
850	10Pin-Wired Black material.	399-104-07	10 pins socket for tubes like EL152, AZ12, etc.	2,38	2,00
851	Plate Cap 6.3mm. GOLD. Ceramic.	399-114-27	Ceramic Plate / Anode Cap 6.3mm diameter. GOLD plated. Tube like PL504	1,21	1,02
852	Plate Cap 7.5mm. Ceramic.	399-119-97	Ceramic Plate / Anode Cap with 6.3mm diameter. Tube like PL504	0,56	0,47
853	Plate Cap 9mm. GOLD Ceramic.	399-115-00	Ceramic Plate / Anode Cap 9mm diameter. GOLD plated. Tube like 807	1,21	1,02
854	Plate Cap 14mm. Ceramic.	399-120-47	Ceramic Plate / Anode Cap with 14mm diameter. Tube like 813	0,68	0,57
855	Plate Cap 14mm. GOLD. Ceramic.	399-116-72	Ceramic Plate / Anode Cap 14mm diameter. GOLD plated. Tube like 813	1,44	1,21

	Tube bases (the part on the tube)	Order Nr.		Euro	Euro
858	Nude Octal base (part on the tube)	399-091-43	Repair part for tubes, or use as connector. Brown material.	3,57	3,00
859	Nude UX4 base, Ceramic-Gold (part on the tube)	399-105-29	Repair part for tubes, or use as connector. Ceramic, gold plated.	5,95	5,00

860	Nude UX4 base, Bakelite-Silver (part on the tube)	399-092-29	Repair part for tubes, or use as connector. Black material, silver plated.		4,17	3,50
-----	---	------------	--	--	------	------

861						
862						
863	BHC Aerovox, England	Order Nr.	Extended Temp Range: -40 ... +105°C		D x L (mm)	Euro
864	390u /350V. PCB Type 10mm.	399-106-93	For Tube power supply, Gold series		50 x 29	10,71
865						9,00

866	Mundorf Mcap 400V Series				Europe, incl. 19% MwSt. (VAT)	Export Price
867					D x L (mm)	Euro

868	Mundorf (1)	Order Nr.	tan d = 0.0002 bei 1kHz /1µF		D x L (mm)	Euro
869	For Lower Values, See 630V Mcaps		For Lower Values, See 630V Mcaps			
870	Mundorf. MCap 1,0µF/ 400VDC	323-121-43	Precision capacitor, max 3%. Low Inductance.		12 x 23	2,57
871	Mundorf. MCap 1,5µF/ 400VDC	323-122-29	Precision capacitor, max 3%. Low Inductance.		14 x28	2,76
872	Mundorf. MCap 1,8µF/ 400VDC	323-013-64	Precision capacitor, max 3%. Low Inductance.		15 x 28	2,95
873	Mundorf. MCap 2,2µF/ 400VDC	323-014-81	Precision capacitor, max 3%. Low Inductance.		16 x 28	3,14
874	Mundorf. MCap 2,7µF/ 400VDC	323-015-09	Precision capacitor, max 3%. Low Inductance.		18 x 29	3,36
875	Mundorf. MCap 3,3µF/ 400VDC	323-016-58	Precision capacitor, max 3%. Low Inductance.		17 x 34	3,55
876	Mundorf. MCap 3,9µF/ 400VDC	323-017-91	Precision capacitor, max 3%. Low Inductance.		18 x 34	3,74
877	Mundorf. MCap 4,7µF/ 400VDC	323-018-54	Precision capacitor, max 3%. Low Inductance.		20 x 34	3,93
878	Mundorf. MCap 5,6µF/ 400VDC	323-019-20	Precision capacitor, max 3%. Low Inductance.		22 x 34	4,43
879	Mundorf. MCap 6,8µF/ 400VDC	323-020-92	Precision capacitor, max 3%. Low Inductance.		24 x 34	4,93
880	Mundorf. MCap 10µF/ 400VDC	323-022-29	Precision capacitor, max 3%. Low Inductance.		26 x 39	6,88
881	Mundorf. MCap 15µF/ 400VDC	323-023-92	Precision capacitor, max 3%. Low Inductance.		26 x 46	8,35
882	Mundorf. MCap 18µF/ 400VDC	323-133-72	Precision capacitor, max 3%. Low Inductance.		31 x 46	9,83
883	Mundorf. MCap 22µF/ 400VDC	323-024-76	Precision capacitor, max 3%. Low Inductance.		34 x 46	11,69
884	Mundorf. MCap 33µF/ 400VDC	323-025-58	Precision capacitor, max 3%. Low Inductance.		38 x 54	15,61
885	Mundorf. MCap 47µF/ 400VDC	323-026-19	Precision capacitor, max 3%. Low Inductance.		44 x 61	19,54
886	Mundorf. MCap 56µF/ 400VDC	323-027-35	Precision capacitor, max 3%. Low Inductance.		44 x 66	23,47
887	Mundorf. MCap 68µF/ 400VDC	323-028-09	Precision capacitor, max 3%. Low Inductance.		49 x 66	27,39
888	Mundorf. MCap 82µF/ 400VDC	323-029-85	Precision capacitor, max 3%. Low Inductance.		54 x 66	32,32
889	Mundorf. MCap 100µF/ 400VDC	323-030-93	Precision capacitor, max 3%. Low Inductance.		56 x 73	37,22
890	Mundorf. MCap 150µF/ 400VDC	323-031-19	Precision capacitor, max 3%. Low Inductance.		62 x 86	47,77

891	Mundorf Mcap 630V Series				Europe, incl. 19% MwSt. (VAT)	Export Price
892					D x L (mm)	Euro

893	Mundorf (2)	Order Nr.	tan d = 0.0002 bei 1kHz /1µF		D x L (mm)	Euro
894	Mundorf. MCap 0,1µF/ 630VDC	323-001-67	Precision capacitor, max 3%. Low Inductance.		10 x 19	2,48
895	Mundorf. MCap 0,15µF/ 630VDC	323-002-56	Precision capacitor, max 3%. Low Inductance.		10 x 21	2,57
896	Mundorf. MCap 0,22µF/ 630VDC	323-003-19	Precision capacitor, max 3%. Low Inductance.		11 x 23	2,57
897	Mundorf. MCap 0,27µF/ 630VDC	323-004-94	Precision capacitor, max 3%. Low Inductance.		11 x 23	2,67
898	Mundorf. MCap 0,33µF/ 630VDC	323-005-84	Precision capacitor, max 3%. Low Inductance.		12 x 23	2,67
899	Mundorf. MCap 0,39µF/ 630VDC	323-006-09	Precision capacitor, max 3%. Low Inductance.		12 x 25	2,76
900	Mundorf. MCap 0,47µF/ 630VDC	323-007-43	Precision capacitor, max 3%. Low Inductance.		12 x 25	2,76
901	Mundorf. MCap 0,56µF/ 630VDC	323-008-04	Precision capacitor, max 3%. Low Inductance.		13 x 25	2,86
902	Mundorf. MCap 0,68µF/ 630VDC	323-009-39	Precision capacitor, max 3%. Low Inductance.		14 x 26	2,86
903	Mundorf. MCap 0,82µF/ 630VDC	323-010-76	Precision capacitor, max 3%. Low Inductance.		15 x 26	2,95
904	Mundorf. MCap 1,0µF/ 630VDC	323-011-99	Precision capacitor, max 3%. Low Inductance.		16 x 26	3,14
905	Mundorf. MCap 1,5µF/ 630VDC	323-012-26	Precision capacitor, max 3%. Low Inductance.		17 x 29	3,36
906	Mundorf. MCap 2,2µF/ 630VDC	323-110-39	Precision capacitor, max 3%. Low Inductance.		18 x 34	3,55
907	Mundorf. MCap 2,2µF/ 630VDC	323-110-39	Precision capacitor, max 3%. Low Inductance.		18 x 34	3,55
908	Mundorf. MCap 2,7µF/ 630VDC	323-111-92	Precision capacitor, max 3%. Low Inductance.		20 x 34	3,74
909	Mundorf. MCap 3,3µF/ 630VDC	323-112-79	Precision capacitor, max 3%. Low Inductance.		22 x 34	3,93
910	Mundorf. MCap 3,9µF/ 630VDC	323-113-98	Precision capacitor, max 3%. Low Inductance.		22 x 39	4,43
911	Mundorf. MCap 4,7µF/ 630VDC	323-114-36	Precision capacitor, max 3%. Low Inductance.		24 x 39	4,93
912	Mundorf. MCap 5,6µF/ 630VDC	323-115-15	Precision capacitor, max 3%. Low Inductance.		26 x 39	5,40
913	Mundorf. MCap 6,8µF/ 630VDC	323-116-09	Precision capacitor, max 3%. Low Inductance.		26 x 44	5,90
914	Mundorf. MCap 8,2µF/ 630VDC	323-117-84	Precision capacitor, max 3%. Low Inductance.		29 x 44	6,88
915	Mundorf. MCap 10µF/ 630VDC	323-118-86	Precision capacitor, max 3%. Low Inductance.		29 x 49	7,85
916	Mundorf. MCap 15µF/ 630VDC	323-119-09	Precision capacitor, max 3%. Low Inductance.		34 x 54	9,83
917	Mundorf. MCap 22µF/ 630VDC	323-120-91	Precision capacitor, max 3%. Low Inductance.		39 x 59	12,69
918						

919	Mundorf Supreme				Europe, incl. 19% MwSt. (VAT)	Export Price
920					D x L (mm)	Euro

921	Mundorf (3)	Order Nr.	tan d = 0.0002 bei 1kHz /1µF		D x L (mm)	Euro
922	Mundorf. Supreme 0,10µF 1200VDC	323-033-53	Precision capacitor, max 2%. Zero inductance. Metal case.		17 x 36	7,93
923	Mundorf. Supreme 0,47µF 600VDC	323-037-31	Precision capacitor, max 2%. Zero inductance. Metal case.		20 x 39	10,82
924	Mundorf. Supreme 0,56µF 600VDC	323-038-52	Precision capacitor, max 2%. Zero inductance. Metal case.		20 x 39	10,82

925	Mundorf. Supreme 0,68µF 600VDC	323-039-90	Precision capacitor, max 2%. Zero inductance. Metal case.	20 x 39	11,80	9,92
926	Mundorf. Supreme 0,82µF 600VDC	323-040-28	Precision capacitor, max 2%. Zero inductance. Metal case.	20 x 39	11,80	9,92
927	Mundorf. Supreme 1,0µF 600VDC	323-041-48	Precision capacitor, max 2%. Zero inductance. Metal case.	20 x 39	13,39	11,25
928	Mundorf. Supreme 1,5µF 600VDC	323-042-91	Precision capacitor, max 2%. Zero inductance. Metal case.	25 x 52	14,78	12,42
929	Mundorf. Supreme 1,8µF 600VDC	323-043-67	Precision capacitor, max 2%. Zero inductance. Metal case.	25 x 52	16,37	13,76
930	Mundorf. Supreme 2,2µF 600VDC	323-044-05	Precision capacitor, max 2%. Zero inductance. Metal case.	25 x 52	16,37	13,76
931	Mundorf. Supreme 2,7µF 600VDC	323-045-65	Precision capacitor, max 2%. Zero inductance. Metal case.	30 x 56	17,76	14,93
932	Mundorf. Supreme 3,3µF 600VDC	323-046-36	Precision capacitor, max 2%. Zero inductance. Metal case.	30 x 56	19,35	16,26
933	Mundorf. Supreme 3,9µF 600VDC	323-047-19	Precision capacitor, max 2%. Zero inductance. Metal case.	30 x 56	20,74	17,43
934	Mundorf. Supreme 4,7µF 600VDC	323-048-93	Precision capacitor, max 2%. Zero inductance. Metal case.	36 x 56	22,72	19,09
935	Mundorf. Supreme 5,6µF 600VDC	323-049-86	Precision capacitor, max 2%. Zero inductance. Metal case.	36 x 56	25,70	21,59
936	Mundorf. Supreme 6,8µF 600VDC	323-050-29	Precision capacitor, max 2%. Zero inductance. Metal case.	41 x 53	28,68	24,10
937	Mundorf. Supreme 8,2µF 600VDC	323-051-51	Precision capacitor, max 2%. Zero inductance. Metal case.	36 x 106	31,63	26,58
938	Mundorf. Supreme 10µF 600VDC	323-052-94	Precision capacitor, max 2%. Zero inductance. Metal case.	36 x 106	35,60	29,92
939	Mundorf. Supreme 15µF 600VDC	323-053-19	Precision capacitor, max 2%. Zero inductance. Metal case.	41 x 106	47,50	39,92
940	Mundorf. Supreme 18µF 600VDC	323-054-76	Precision capacitor, max 2%. Zero inductance. Metal case.	41 x 106	59,40	49,91
941	Mundorf. Supreme 22µF 600VDC	323-055-90	Precision capacitor, max 2%. Zero inductance. Metal case.	50 x 106	59,40	49,91
942						

943 **Mundorf Silver-Oil Series**

944	Aluminium Case, with two capacitors in series.			D x L		
945	Mundorf (4)	Order Nr.	tan d: 0.00001 bei 10kHz. Absolutely Induction free	(mm)	Euro	Euro
946	Mundorf. Silver Oil 0,01µF 1200VDC	323-056-26	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	13 x 36	21,06	17,70
947	Mundorf. Silver Oil 0,015µF 1200VDC	323-057-73	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	13 x 36	18,82	15,82
948	Mundorf. Silver Oil 0,022µF 1200VDC	323-058-81	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	13 x 36	18,82	15,82
949	Mundorf. Silver Oil 0,033µF 1200VDC	323-059-89	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	13 x 36	18,82	15,82
950	Mundorf. Silver Oil 0,047µF 1200VDC	323-060-58	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	13 x 36	18,82	15,82
951	Mundorf. Silver Oil 0,068µF 1200VDC	323-061-93	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	13 x 36	18,82	15,82
952	Mundorf. Silver Oil 0,1µF 1200VDC	323-062-55	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	17 x 36	22,98	19,31
953	Mundorf. Silver Oil 0,15µF 1200VDC	323-063-49	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	17 x 36	22,98	19,31
954	Mundorf. Silver Oil 0,22µF 1200VDC	323-064-90	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	19 x 39	24,90	20,93
955	Mundorf. Silver Oil 0,33µF 1200VDC	323-065-27	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	19 x 39	26,83	22,54
956	Mundorf. Silver Oil 0,47µF 1200VDC	323-066-39	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	26 x 41	28,75	24,16
957	Mundorf. Silver Oil 0,56µF 1200VDC	323-067-92	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	26 x 41	28,75	24,16
958	Mundorf. Silver Oil 0,68µF 1200VDC	323-068-78	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	26 x 41	33,56	28,20
959	Mundorf. Silver Oil 0,82µF 1200VDC	323-069-78	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	31 x 42	33,56	28,20
960	Mundorf. Silver Oil 1,0µF 1200VDC	323-070-28	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	31 x 42	38,36	32,24
961	Mundorf. Silver Oil 1,5µF 1200VDC	323-071-25	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	36 x 42	43,17	36,28
962	Mundorf. Silver Oil 1,8µF 1200VDC	323-072-09	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	43,17	36,28
963	Mundorf. Silver Oil 2,2µF 1200VDC	323-073-85	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	47,98	40,32
964	Mundorf. Silver Oil 2,7µF 1200VDC	323-074-84	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	52,79	44,36
965	Mundorf. Silver Oil 3,3µF 1200VDC	323-075-19	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	57,60	48,40
966	Mundorf. Silver Oil 3,9µF 1200VDC	323-076-82	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	67,21	56,48
967	Mundorf. Silver Oil 4,7µF 1200VDC	323-077-43	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 71	76,83	64,56
968	Mundorf. Silver Oil 5,6µF 1200VDC	323-078-49	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	46 x 71	86,44	72,64
969	Mundorf. Silver Oil 6,80µF 1200VDC	323-079-67	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	46 x 71	96,06	80,72
970	Mundorf. Silver Oil 8,2µF 1200VDC	323-080-98	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	51 x 71	105,67	88,80
971	Mundorf. Silver Oil 10µF 1200VDC	323-081-32	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	46 x 110	124,90	104,96
972						



973 **Mundorf Silver-Gold Series**

974	Aluminium Case, with two capacitors in series.			D x L		
975	Mundorf (5)	Order Nr.	tan d: 0.00001 bei 10kHz. Absolutely Induction free	(mm)	Euro	Euro
976	Mundorf. Silver Gold 0,01µF 1200VDC	323-082-71	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
977	Mundorf. Silver Gold 0,015µF 1200VDC	323-083-90	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
978	Mundorf. Silver Gold 0,022µF 1200VDC	323-084-08	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
979	Mundorf. Silver Gold 0,033µF 1200VDC	323-085-48	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
980	Mundorf. Silver Gold 0,047µF 1200VDC	323-086-91	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
981	Mundorf. Silver Gold 0,056µF 1200VDC	323-087-68	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
982	Mundorf. Silver Gold 0,068µF 1200VDC	323-088-24	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
983	Mundorf. Silver Gold 0,082µF 1200VDC	323-089-74	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86
984	Mundorf. Silver Gold 0,1µF 1200VDC	323-090-26	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,92	22,62
985	Mundorf. Silver Gold 0,15µF 1200VDC	323-091-19	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	27,86	23,41
986	Mundorf. Silver Gold 0,22µF 1200VDC	323-092-93	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	19 x 39	29,74	24,99
987	Mundorf. Silver Gold 0,33µF 1200VDC	323-093-87	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	19 x 39	32,52	27,33
988	Mundorf. Silver Gold 0,47µF 1200VDC	323-094-49	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	26 x 41	37,19	31,25
989	Mundorf. Silver Gold 0,56µF 1200VDC	323-095-60	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	26 x 41	37,19	31,25
990	Mundorf. Silver Gold 0,68µF 1200VDC	323-096-84	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	26 x 41	41,83	35,15
991	Mundorf. Silver Gold 0,82µF 1200VDC	323-097-99	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	31 x 42	41,83	35,15
992	Mundorf. Silver Gold 1,0µF 1200VDC	323-098-76	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	31 x 42	46,49	39,07
993	Mundorf. Silver Gold 1,5µF 1200VDC	323-099-92	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	36 x 42	55,82	46,90

Europe, incl. 19%
MwSt. (VAT) Export
Price

994	Mundorf. Silver Gold 1,8µF 1200VDC	323-100-27	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	41 x 54	55,82	46,90
995	Mundorf. Silver Gold 2,2µF 1200VDC	323-101-92	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	36 x 56	65,12	54,72
996	Mundorf. Silver Gold 2,7µF 1200VDC	323-102-81	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	36 x 56	74,45	62,56
997	Mundorf. Silver Gold 3,3µF 1200VDC	323-103-79	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	41 x 57	83,75	70,38
998	Mundorf. Silver Gold 3,9µF 1200VDC	323-104-58	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	41 x 57	93,08	78,21
999	Mundorf. Silver Gold 4,7µF 1200VDC	323-105-94	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	46 x 71	102,38	86,03
1000	Mundorf. Silver Gold 5,6µF 1200VDC	323-106-46	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	46 x 71	111,70	93,87
1001	Mundorf. Silver Gold 6,8µF 1200VDC	323-107-68	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	51 x 71	121,01	101,69
1002	Mundorf. Silver Gold 8,2µF 1200VDC	323-108-99	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	51 x 71	139,64	117,34
1003	Mundorf. Silver Gold 10µF 1200VDC	323-109-17	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	51 x 106	167,59	140,83
1004						

1005 **Mundorf Silver-Gold-Oil Series**



Europe, incl. 19%
MwSt. (VAT) Export
Price

1006 **Aluminium Case, with two capacitors in series.** **D x L**

1007 **Mundorf (6)** **Order Nr. tan d: 0.00001 bei 10kHz. Absolutely Induction free** **(mm) Euro Euro**

1008	Mundorf. Silv/Gold/oil 0,01µF 1200VDC	323-134-16	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	17 x 36	32,52	27,33
1009	Mundorf. Silv/Gold/oil 0,1µF 1200VDC	323-135-29	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	17 x 36	35,31	29,67
1010	Mundorf. Silv/Gold/oil 0,22µF 1200VDC	323-136-93	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	19 x 39	37,19	31,25
1011	Mundorf. Silv/Gold/oil 0,33µF 1200VDC	323-137-89	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	19 x 39	41,83	35,15
1012	Mundorf. Silv/Gold/oil 0,47µF 1200VDC	323-138-69	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	26 x 41	46,49	39,07
1013	Mundorf. Silv/Gold/oil 0,68µF 1200VDC	323-139-78	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	26 x 41	51,15	42,99
1014	Mundorf. Silv/Gold/oil 1,0µF 1200VDC	323-140-84	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	31 x 42	55,82	46,90
1015	Mundorf. Silv/Gold/oil 1,5µF 1200VDC	323-141-79	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	36 x 42	65,12	54,72
1016	Mundorf. Silv/Gold/oil 2,2µF 1200VDC	323-142-76	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	36 x 56	74,45	62,56
1017	Mundorf. Silv/Gold/oil 2,7µF 1200VDC	323-143-94	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	36 x 56	83,75	70,38
1018	Mundorf. Silv/Gold/oil 3,3µF 1200VDC	323-144-27	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	41 x 57	93,08	78,21
1019	Mundorf. Silv/Gold/oil 3,9µF 1200VDC	323-145-01	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	41 x 57	102,38	86,03
1020	Mundorf. Silv/Gold/oil 4,7µF 1200VDC	323-146-72	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	46 x 71	116,34	97,77
1021	Mundorf. Silv/Gold/oil 5,6µF 1200VDC	323-147-59	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	46 x 71	130,33	109,52
1022	Mundorf. Silv/Gold/oil 6,8µF 1200VDC	323-148-58	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	51 x 71	139,64	117,34
1023	Mundorf. Silv/Gold/oil 8,2µF 1200VDC	323-149-96	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	51 x 71	158,27	133,00

1024 **D x L**

1025 **Mundorf (7)** **Order Nr. TubeCaps. These are foil caps, lifetime "for ever"** **(mm) Euro Euro**

1026	Mundorf. Tube Cap 10µF 1000VDC	323-200-61	Rectangular plastic case, wire connections, radial	35 x 55	13,20	11,09
1027	Mundorf. Tube Cap 20µF 750VDC	323-201-27	Rectangular plastic case, wire connections, radial	35 x 55	16,25	13,66
1028	Mundorf. Tube Cap 30µF 600VDC	323-202-43	Rectangular plastic case, wire connections, radial	35 x 55	20,34	17,09
1029	Mundorf. Tube Cap 47µF 600VDC	323-203-86	Round Aluminium case, wire connections, wire connections, radial	45 x 53	25,46	21,39
1030	Mundorf. Tube Cap 100µF 550VDC	323-204-09	Round Aluminium case, wire connections, with screws.	50 x 80	40,77	34,26
1031	Mundorf. Tube Cap 200µF 550VDC	323-205-84	Round Aluminium case, wire connections, with screws.	65 x 80	61,20	51,43

1032 **D x L**

1033 **Mundorf (8)** **Order Nr. Dual Electrolytic Cap. M-Lytic Series** **(mm) Euro Euro**

1034	Mundorf 47+47 / 450V DC	323-151-77	Only this type with three wires. Needs no mounting clip.	30 x 50	12,69	10,66
1035	Mundorf 50+50 / 500V DC	323-152-97	Needs a 35mm standard mounting clamp	35 x 50	16,61	13,96
1036	Mundorf 100+100 / 500V DC	323-153-07	Needs a 35mm standard mounting clamp	35 x 66	19,54	16,42
1037	Mundorf 200+200 / 500V DC	323-155-92	Needs a 35mm standard mounting clamp	35 x 80	34,27	28,80

1038 **D x L**

1039 **Mundorf (9)** **Order Nr. Mounting hardware** **(mm) Euro Euro**

1040	Clamp für 35mm Caps. Type MCNV	323-206-89	Black Nylon clamp, for chassis mounting	35 x 25	0,95	0,80
1041	Clamp für 50mm Caps. Type MCNV	323-207-09	Black Nylon clamp, for chassis mounting	50 x 25	1,07	0,90
1042	Clamp für 65mm Caps. Type MCNV	323-208-18	Black Nylon clamp, for chassis mounting	65 x 25	1,19	1,00

End of the pricelist here.